

---

**APPENDIX A: PARTIAL LIST OF FINAL OR DRAFT REPORTS NOT  
REVIEWED**

---

**Snohomish River:**

Snohomish Basin Salmonid Recovery Technical Committee. 1999. Initial Snohomish River basin chinook salmon conservation/recovery technical work plan. (Only the Executive Summary was available to us.)

Pentec Environmental, Inc. 1998. Snohomish River basin conditions and issues report. Snohomish Work Group Project No. 293-001. Final Report. (We reviewed this report, but received it too late to effectively incorporate it into our report)

A watershed analysis for Griffin Creek (referred to by K. Nelson in comments during review)

**Lake Washington:**

WDFW, Muckleshoot Indian Tribe, and Suquamish Tribe of Indians. Draft 1998. Lake Washington Chinook Salmon Recovery Plan.

**Green River:**

Fuerstenberg, R. R., K. Nelson, and R. Blomquist. 1996. Ecological conditions and limitations to salmonid diversity in the Green River, Washington, USA. Storage, function and process in river ecology. King County Department of Natural Resources.

Kerwin, J. Draft. Salmon habitat limiting factors report for the Green River basin (water resource inventory area 9). Washington Conservation Commission. Olympia, WA. (Only the Executive Summary of the Green River salmon genetics chapter was available to us.)

U.S. Army Corps of Engineers, Seattle District (USACE). 1998. Appendix F, Environmental Part 1, fish mitigation and restoration. Additional Water Storage Project, draft feasibility report and EIS, Howard A. Hanson Dam, Green River, Washington. April 1998. Seattle, WA.

U.S. Army Corps of Engineers, Seattle District (USACE). 1997. Green/Duwamish River basin general investigation ecosystem restoration study reconnaissance phase. Seattle, WA.

---

**APPENDIX B. AFFILIATIONS OF INDIVIDUALS CITED IN TEXT AS PROVIDING PERSONAL COMMUNICATIONS**


---

NAME	AFFILIATION	CONTACT INFORMATION
Baranski, Chuck	WDFW, Olympia	(360) 902-2719
Bauersfeld, Kevin	WDFW	(360) 902-2582
Beechie, Tim	NMFS, NWFSO Seattle	(206) 860-3409
Bernard, Rebecca	Squaxin Island Tribe	(360) 426-9783
Bilby, Bob	NMFS, NWFSO Seattle	robert.bilby@noaa.gov
Carey, Bob	The Nature Conservancy	(360) 419-9825
Clouse, Dave	U.S. Army, Fort Lewis Military Reserve	(253) 967-5337
Crain, Pat	Lower Elwha Klallam Tribal Fisheries Department	
Currens, Ned	Lummi Nation	
Dick O'Connor	WDFW	
Doyle, Jim	Mount Baker-Snoqualmie N.F.	(206) 775-9702
Dunphy, Gregg	Lummi Nation	(360) 384-2318
Ereth, Marty	Skokomish Tribe	(360) 426-4232
Fuerstenberg, Bob	King County	
Griggs, Dale	Nooksack Tribal Fisheries Department	(360) 592-5176
Kerwin, John	Washington Conservation Commission	(253) 761-8843
Lucchetti, Gino	King County	(206) 296-8366
May Chris	Univ. of Washington & consultant	360-697-2149
Nauer, Don	WDFW	(253) 863-7979
Reeves, Gordon	US Forest Service, Pacific Northwest Research Station	(541) 750-7314
Rowse, Mindy	NMFS, NWFSO Seattle	(206) 860-6783
Scott, Gordon	Whatcom Land Trust	(360) 650-9470
Seiders, Keith	WDOE	(360) 407-6689
Sherrer, Wendy	Nooksack Salmon Enhancement Association	
Smith, Blake	Puyallup Tribe	bsmith@puyalluptribe.nsn.us
Steward, Cleve	Sustainable Fisheries Foundation	(425) 670-3584
Tinoco, Isabel	Muckleshoot Fisheries Department	(253) 931-0652
Walter, George	Nisqually Tribe and Nisqually River Council	(360) 438-8687
Zischke, Jay	Suquamish Tribe	(360) 598-3311

---

**APPENDIX C: SUB-BASIN MAPS**

---



## Cedar-Sammamish WRIA with Subwatershed Numbers

-  Rivers
-  Lakes and Reservoirs
-  WRIA Boundaries
-  Major Roads
-  Subwatersheds





# Deschutes WRIA with Subwatershed Numbers






-  Rivers
-  Lakes and Reservoirs
-  WRIA Boundaries
-  Major Roads
-  Subwatersheds

5 0 5 10 Miles

Pacific Biodiversity Institute, 1999











-  Rivers
-  Lakes and Reservoirs
-  WRIA Boundaries
-  Major Roads
-  Subwatersheds

## Duwamish-Green WRIA with Subwatershed Numbers

5      0      5      10 Miles




## Kennedy-Goldsborough WRIA with Subwatershed Numbers

-  Rivers
-  Lakes and Reservoirs
-  WRIA Boundaries
-  Major Roads
-  Subwatersheds






5 0 5 Miles



Pacific Biodiversity Institute, 1999









## Lower Skagit WRIA with Subwatershed Numbers

-  Rivers
-  Lakes and Reservoirs
-  WRIA Boundaries
-  Major Roads
-  Subwatersheds








-  Rivers
-  Lakes and Reservoirs
-  WRIA Boundaries
-  Major Roads
-  Subwatersheds






## Nisqually WRIA with Subwatershed Numbers



Pacific Biodiversity Institute, 1999











-  Rivers
-  Lakes and Reservoirs
-  WRIA Boundaries
-  Major Roads
-  Subwatersheds

## Puyallup-White WRIA with Subwatershed Numbers






## Quilcene - Snow WRIA with Subwatershed Numbers

-  Rivers
-  Lakes and Reservoirs
-  WRIA Boundaries
-  Major Roads
-  Subwatersheds






5 0 5 Miles




Pacific Biodiversity Institute, 1999








## San Juan WRIA with Subwatershed Numbers

-  Rivers
-  Lakes and Reservoirs
-  WRIA Boundaries
-  Major Roads
-  Subwatersheds

5 0 5 Miles



## Skokomish-Dosewallips WRIA with Subwatershed Numbers

-  Rivers
-  Lakes and Reservoirs
-  WRIA Boundaries
-  Major Roads
-  Subwatersheds






5 0 5 10 Miles



Pacific Biodiversity Institute, 1999






-  Rivers
-  Lakes and Reservoirs
-  WRIA Boundaries
-  Major Roads
-  Subwatersheds






## Stillaguamish WRIA with Subwatershed Numbers







## Upper Skagit WRIA with Subwatershed Numbers

-  Rivers
-  Lakes and Reservoirs
-  WRIA Boundaries
-  Major Roads
-  Subwatersheds



Pacific Biodiversity Institute, 1999

# APPENDIX D - Subwatershed Maps and Tables of Landscape Values

## Subwatershed Landscape Values - sorted by Water Resource Inventory Areas (WRIAs), Accessibility to Fish and Conservation Priority

**WRIA Name** CEDAR-SAMMAMISH

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

Priority	Subwatershed Number	Plus Factors				-----Access-----			Minus Factors			
		Total Wetlands	Land Cover	Bald Eagles	Undisturbed Habitat	Artificial Populations	Reservoir	Historically Inaccessible	Artificial Wetlands	Road Density	Slope	Hatcheries
22	775	5	4	0	4	0	0	0	-3	-1	-1	-3
18	732	5	4	0	0	0	0	0	-3	-1	-1	-3
15	628	3	2	4	0	0	0	0	0	-5	-2	-1
13	768	3	1	4	0	0	0	0	0	-5	-2	-2
13	794	4	3	2	0	0	0	0	-5	-5	-1	-3
12	693	5	3	0	0	0	0	0	0	-5	-1	-1
12	821	2	3	0	2	0	0	0	-2	-4	-2	-2
12	889	4	4	0	0	0	0	0	-2	-3	-2	-5
11	759	5	3	0	0	0	0	0	0	-5	-1	-2
11	781	2	1	3	0	0	0	0	0	-5	-1	-2
10	642	5	2	0	0	0	0	0	0	-5	-1	-1
10	668	3	3	0	0	0	0	0	-2	-5	-1	0
10	720	5	2	1	1	0	0	0	0	-5	-1	-2
10	735	2	1	4	0	0	0	0	0	-5	-2	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            CEDAR-SAMMAMISH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
10	798	1	1	3	0	0	0	0	-5	-5	-1	-3
10	811	2	3	0	1	0	0	0	0	-5	-1	-3
10	827	4	2	0	1	0	0	0	-1	-5	-2	-3
9	648	4	1	0	0	0	0	0	-2	-5	-1	0
9	688	2	1	3	0	0	0	0	-4	-5	-2	-1
9	734	3	1	0	0	0	0	0	-2	-5	-2	-2
9	752	3	1	1	0	0	0	0	0	-5	-1	-2
9	758	5	1	0	0	0	0	0	-3	-5	-1	-2
9	772	5	1	1	0	0	0	0	0	-5	-1	-3
9	776	4	3	0	0	0	0	0	-2	-5	-1	-3
9	861	2	4	0	1	0	0	0	0	-4	-2	-4
8	709	3	1	0	0	0	0	0	0	-5	-1	-2
8	818	4	3	0	2	0	0	0	0	-5	-3	-4
7	777	2	2	0	1	0	0	0	0	-5	-2	-3
7	854	3	3	0	1	0	0	0	-4	-5	-2	-3
6	697	3	1	0	0	0	0	0	0	-5	-1	-2
6	726	4	1	0	0	0	0	0	0	-5	-1	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            CEDAR-SAMMAMISH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
6	909	3	4	0	0	0	0	0	0	-5	-2	-5
5	762	2	1	1	0	0	0	0	0	-5	-1	-2
5	810	3	3	0	0	0	0	0	-1	-4	-2	-4
5	849	4	2	0	0	0	0	0	0	-5	-2	-3
5	888	4	3	0	0	0	0	0	0	-5	-2	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            CEDAR-SAMMAMISH**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
24	911	5	4	0	4	0	1	1	0	0	-1	-2
16	936	1	4	0	3	0	1	1	-1	-3	-3	0
14	921	4	4	0	2	0	1	1	0	-4	-4	-2
14	925	3	4	0	2	0	1	1	0	-4	-3	-2
14	932	2	4	0	3	0	1	1	0	-3	-4	-2
14	934	2	4	0	2	0	1	1	0	-4	-3	-1
12	901	3	4	0	1	0	1	1	0	-4	-4	-2
11	907	2	4	0	2	0	1	1	0	-4	-4	-3
10	892	3	4	0	0	0	0	1	-1	-4	-3	-4
10	915	3	4	0	0	0	0	1	-4	-5	-2	-4
7	919	1	4	0	0	0	0	1	0	-4	-3	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas (WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            CHAMBERS-CLOVER**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
15	1021	5	3	5	0	0	0	0	0	-5	-1	-5
8	1008	5	2	2	0	0	0	0	0	-5	-1	-5
5	950	1	1	4	0	0	0	0	0	-5	-2	-5
3	973	3	2	0	0	0	0	0	0	-5	-1	-5
3	982	4	1	0	0	0	0	0	0	-5	-1	-5
0	969	2	1	0	0	0	0	0	0	-5	-2	-5

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
5	1016	4	2	0	0	0	0	1	0	-5	-1	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name        DESCHUTES**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
12	1027	5	3	2	0	0	0	0	-2	-5	-1	-5
10	1035	4	2	3	0	0	0	0	0	-5	-2	-5
10	1074	5	2	2	0	0	0	0	0	-5	-1	-5
10	1077	3	4	0	0	0	0	0	-4	-4	-2	-4
9	1023	4	3	1	0	0	0	0	0	-4	-1	-5
8	1045	5	1	0	0	0	0	0	0	-5	-1	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            DESCHUTES**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

Priority	Subwatershed Number	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		Total Wetlands	Land Cover	Bald Eagles	Undisturbed Habitat	Artificial Populations	Reservoir	Historically Inaccessible	Artificial Wetlands	Road Density	Slope	Hatcheries
12	1100	5	4	2	0	1	0	0	0	-4	-1	-5
12	1131	5	4	1	0	1	0	0	0	-5	-2	-2
12	1140	4	4	0	0	1	0	0	0	-5	-3	-2
11	1132	1	4	0	0	1	0	0	-1	-5	-1	-2
11	1147	2	4	0	0	1	0	0	0	-5	-2	-2
11	1148	3	4	0	0	1	0	0	0	-5	-3	-2
11	1149	1	4	0	0	1	0	0	0	-5	-1	-2
11	1151	1	4	0	0	1	0	0	0	-5	-2	-1
11	1155	1	4	0	0	1	0	0	0	-5	-2	-1
10	1152	1	4	0	0	1	0	0	0	-5	-3	-1
10	1168	1	4	0	0	1	0	0	0	-5	-3	-1
9	1121	4	4	0	0	1	0	0	0	-5	-1	-2
9	1134	2	4	0	0	1	0	0	-1	-5	-1	-1
9	1176	1	4	0	0	1	0	0	0	-5	-4	-1
8	1081	5	3	0	0	1	0	0	0	-5	-1	-4
8	1107	1	4	0	0	1	0	0	0	-5	-1	-5
8	1113	3	3	0	0	1	0	0	-4	-5	-1	-4



***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name        DESCHUTES**

***Accessibility = 1*** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

		<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
<i>Priority</i>	<i>Subwatershed Number</i>	<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
7	1146	3	4	0	0	1	0	0	0	-5	-2	-2
6	1085	5	3	0	0	1	0	0	0	-5	-1	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            DUWAMISH-GREEN**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

Priority	Subwatershed Number	Plus Factors				-----Access-----			Minus Factors			
		Total Wetlands	Land Cover	Bald Eagles	Undisturbed Habitat	Artificial Populations	Reservoir	Historically Inaccessible	Artificial Wetlands	Road Density	Slope	Hatcheries
11	938	5	3	1	0	0	0	0	0	-5	-1	-5
9	890	5	2	0	0	0	0	0	-5	-5	-1	-4
8	857	3	1	1	0	0	0	0	0	-5	-2	0
8	937	4	4	0	0	0	0	0	-1	-5	-3	-5
7	847	5	1	1	0	0	0	0	-3	-5	-1	-3
7	898	5	3	1	0	0	0	0	0	-5	-1	-5
7	947	5	3	1	0	0	0	0	-4	-4	-2	-5
7	963	2	4	0	0	0	0	0	-5	-5	-3	-5
7	965	5	2	0	0	0	0	0	-1	-5	-2	-5
7	981	5	3	0	0	0	0	0	-5	-5	-3	-5
5	809	2	1	1	0	0	0	0	-5	-5	-2	-2
5	923	3	1	2	0	0	0	0	0	-5	-2	-3
5	926	5	2	1	0	0	0	0	0	-5	-2	-5
4	891	2	1	0	0	0	0	0	0	-5	-1	-2
4	941	3	4	0	0	0	0	0	0	-5	-4	-5
4	955	3	4	0	0	0	0	0	0	-5	-3	-5
3	795	2	0	0	0	0	0	0	0	-5	-1	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name      DUWAMISH-GREEN**

***Accessibility = 0*** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

	<i>Plus Factors</i>					<i>-----Access-----</i>			<i>Minus Factors</i>			
<i>Priority</i>	<i>Subwatershed Number</i>	<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
3	799	1	1	1	0	0	0	0	0	-5	-2	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            DUWAMISH-GREEN**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
18	985	2	4	0	3	0	1	1	-5	-1	-4	0
17	988	2	4	0	2	0	1	1	0	-2	-3	0
16	977	2	4	0	2	0	1	1	0	-3	-3	0
16	983	1	4	0	3	0	1	1	0	-2	-4	0
16	997	1	4	0	3	0	1	1	-2	-2	-4	0
16	1002	1	4	0	3	0	1	1	-5	-2	-4	0
15	971	2	4	0	2	0	1	1	0	-4	-3	0
15	979	1	4	0	3	0	1	1	-2	-2	-5	0
15	989	2	4	0	2	0	1	1	0	-3	-4	0
15	993	1	4	0	2	0	1	1	0	-3	-3	0
14	970	2	4	0	1	0	1	1	0	-4	-3	0
14	976	4	4	0	0	0	1	1	0	-4	-3	-1
14	1001	1	4	0	2	0	1	1	0	-3	-4	0
14	1009	0	4	0	3	0	1	1	0	-3	-4	0
13	951	1	4	0	1	0	1	1	-1	-4	-3	0
13	961	2	4	0	1	0	1	1	-3	-5	-3	0
13	968	3	4	0	2	0	1	1	-5	-4	-3	-3

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            DUWAMISH-GREEN**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
12	954	1	4	0	1	0	1	1	-4	-4	-3	-1
12	959	4	4	0	0	0	1	1	0	-4	-3	-3
12	1011	0	4	0	2	0	1	1	0	-4	-4	0
11	935	2	4	0	2	0	0	1	0	-4	-3	-4
11	940	3	4	0	0	0	1	1	-3	-4	-3	-3
11	956	1	4	0	0	0	1	1	0	-5	-3	0
11	987	1	4	0	0	0	1	1	0	-5	-3	0
11	990	1	4	0	0	0	1	1	-2	-5	-3	0
10	924	3	4	0	0	0	0	1	-5	-4	-2	-5
10	960	0	4	0	0	0	1	1	0	-5	-3	0
9	946	2	4	0	1	0	1	1	-5	-4	-4	-4
9	953	2	4	0	2	0	1	1	0	-5	-4	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            ELWAH-DUNGENESE**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
19	645	2	4	0	5	0	0	0	-3	0	-5	-1
18	626	2	4	0	5	0	0	0	0	-1	-5	-1
17	486	2	4	0	0	0	0	0	0	0	-2	-1
16	479	1	4	0	0	0	0	0	0	0	-2	-1
16	488	1	4	0	0	0	0	0	-3	0	-2	-1
16	619	2	4	0	4	0	0	0	-3	-1	-4	-3
15	631	1	4	0	4	0	0	0	0	-1	-5	-2
14	616	2	4	0	3	0	0	0	0	-2	-4	-3
12	526	2	4	2	2	0	0	0	0	-3	-3	-3
12	583	3	4	0	3	0	0	0	0	-3	-3	-4
11	566	1	4	0	3	0	0	0	-2	-2	-4	-4
11	618	1	4	0	2	0	0	0	0	-3	-3	-3
10	587	2	4	0	2	0	0	0	0	-3	-3	-4
9	504	5	3	1	1	0	0	0	0	-5	-2	-4
9	508	4	2	4	0	0	0	0	-5	-5	-1	-4
8	503	4	4	2	0	0	0	0	-4	-5	-2	-4
8	530	2	3	3	1	0	0	0	-5	-5	-2	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            ELWAH-DUNGENESS**

***Accessibility = 0*** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
7	501	4	2	2	0	0	0	0	0	-5	-1	-4
7	521	3	3	2	1	0	0	0	-4	-5	-2	-4
6	522	2	3	0	2	0	0	0	0	-5	-2	-4
6	528	2	3	0	1	0	0	0	0	-5	-3	-3
6	531	3	4	0	0	0	0	0	0	-4	-2	-4
5	513	3	3	0	1	0	0	0	0	-5	-2	-4
4	542	3	3	0	0	0	0	0	-2	-5	-2	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            ELWAH-DUNGENESE**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
22	707	3	4	0	5	0	1	1	0	0	-4	0
21	627	2	4	0	5	0	1	1	0	0	-4	0
21	637	3	4	0	5	0	1	1	0	0	-5	0
21	679	2	4	0	5	0	1	1	0	0	-4	0
21	680	3	4	0	5	0	1	1	0	0	-5	0
21	708	3	4	0	5	0	1	1	-2	0	-5	0
21	721	3	4	0	5	0	1	1	0	0	-5	0
21	729	2	4	0	5	0	1	1	0	0	-4	0
20	617	2	4	0	5	0	1	1	-1	0	-5	0
20	666	1	4	0	5	0	1	1	-3	0	-4	0
19	607	3	4	0	4	0	1	1	-2	-1	-4	-1
19	647	2	4	0	5	0	0	1	-4	0	-5	-1
19	671	1	4	0	5	0	1	1	0	0	-5	0
18	610	0	4	0	5	0	0	1	0	-1	-4	0
17	569	4	4	0	4	0	1	0	0	-1	-4	-4
17	584	1	4	0	4	0	0	1	0	-1	-4	-1
17	593	2	4	0	4	0	1	0	-2	-1	-5	-1



***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            ELWAH-DUNGENESE**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
17	621	1	4	0	4	0	1	1	0	-1	-5	0
16	601	1	4	0	4	0	0	1	-2	-1	-4	-2
16	632	0	4	0	5	0	0	1	-4	0	-5	-2
16	660	1	3	0	5	0	0	1	0	-1	-5	-1
16	674	2	3	0	4	0	0	1	-1	-1	-5	-1
14	572	2	4	0	4	0	1	0	-1	-1	-5	-4
14	573	1	4	0	3	0	0	1	0	-2	-3	-2
13	559	1	4	0	3	0	1	1	-1	-1	-4	-4
13	639	1	4	0	3	0	0	1	-3	-2	-5	-2
11	538	4	4	0	2	0	1	1	-2	-3	-4	-4
11	539	4	4	0	2	0	1	0	-3	-4	-3	-4
11	578	1	4	0	3	0	0	1	-1	-2	-3	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name        H2O**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
17	466	1	4	0	0	0	0	0	0	0	-1	-1
17	469	1	4	0	0	0	0	0	0	0	-1	-1
16	394	1	3	1	0	0	0	0	-2	0	-2	0
16	438	3	3	0	0	0	0	0	0	-3	-1	0
16	596	1	4	0	0	0	0	0	-5	0	-2	-1
14	590	1	4	0	0	0	0	0	-4	0	-2	-1
13	1053	1	4	0	0	0	0	0	-2	0	-1	-5
11	18	2	3	4	0	0	0	0	-4	-5	-2	0
11	1025	1	4	0	0	0	0	0	0	-5	-2	-1
8	800	1	0	0	0	0	0	0	-4	-5	-1	-1

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name ISLAND**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
16	430	5	3	5	0	0	0	0	0	-5	-2	0
15	349	5	3	5	0	0	0	0	0	-5	-2	0
14	545	5	3	5	0	0	0	0	0	-5	-2	-2
13	427	4	3	5	0	0	0	0	0	-5	-2	-1
13	507	2	3	5	0	0	0	0	-5	-5	-2	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            KENNEDY-GOLDSBOROUGH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
19	995	1	4	3	0	0	0	0	0	0	-2	-1
16	1010	0	4	0	0	0	0	0	0	0	-2	0
15	931	3	4	5	0	0	0	0	0	-5	-1	-5
13	939	5	4	0	0	0	0	0	0	-4	-1	-5
13	949	5	4	1	0	0	0	0	-3	-5	-1	-5
13	1007	5	3	2	0	0	0	0	-2	-5	-1	-5
13	1032	4	4	0	0	0	0	0	-3	-4	-2	-3
12	920	5	4	0	0	0	0	0	0	-5	-1	-5
12	952	5	4	0	0	0	0	0	0	-4	-1	-5
12	957	3	4	1	0	0	0	0	-2	-5	-1	-4
12	999	5	4	0	0	0	0	0	0	-4	-1	-5
11	905	1	1	0	0	0	0	0	0	0	-1	-4
11	942	0	4	0	0	0	0	0	0	-5	-2	0
11	966	5	4	0	0	0	0	0	-2	-5	-1	-5
11	974	1	4	0	0	0	0	0	-4	-5	-2	-1
11	978	3	4	0	0	0	0	0	0	-5	-1	-4
11	1018	4	4	0	0	0	0	0	-1	-5	-2	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            KENNEDY-GOLDSBOROUGH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
11	1050	5	4	0	0	0	0	0	-1	-5	-2	-3
10	903	3	4	0	0	0	0	0	0	-5	-2	-4
10	967	5	4	0	0	0	0	0	0	-5	-1	-5
9	1017	3	3	2	0	0	0	0	0	-5	-1	-5
9	1020	2	4	0	0	0	0	0	-1	-5	-1	-5
9	1024	2	4	0	0	0	0	0	0	-5	-1	-5
8	908	1	3	0	0	0	0	0	-3	-5	-1	-4
8	945	1	1	0	0	0	0	0	0	-5	-2	-1
8	980	5	3	0	0	0	0	0	-2	-5	-2	-5
8	1051	2	4	0	0	0	0	0	-2	-4	-2	-5
8	1072	2	4	0	0	0	0	0	0	-5	-2	-5
7	929	1	4	0	0	0	0	0	-2	-5	-2	-5
7	1033	3	4	0	0	0	0	0	0	-5	-1	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            KITSAP**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

Priority	Subwatershed Number	Plus Factors				-----Access-----			Minus Factors			
		Total Wetlands	Land Cover	Bald Eagles	Undisturbed Habitat	Artificial Populations	Reservoir	Historically Inaccessible	Artificial Wetlands	Road Density	Slope	Hatcheries
19	833	1	4	4	0	0	0	0	0	-1	-1	-1
17	778	4	4	4	0	0	0	0	0	-5	-2	-2
16	808	3	4	2	0	0	0	0	-4	-4	-2	-1
14	634	4	4	3	0	0	0	0	0	-4	-1	-3
14	646	3	4	5	0	0	0	0	0	-5	-2	-2
14	689	4	4	5	0	0	0	0	0	-5	-1	-3
14	803	4	4	1	0	0	0	0	0	-4	-2	-3
14	824	1	4	3	0	0	0	0	0	-4	-2	-2
14	828	5	4	0	0	0	0	0	0	-4	-1	-3
14	830	4	4	0	0	0	0	0	0	-4	-1	-3
14	831	5	4	0	0	0	0	0	-4	-5	-1	-3
14	853	4	3	4	0	0	0	0	-4	-5	-2	-1
13	787	5	3	2	0	0	0	0	0	-5	-1	-2
13	867	4	4	2	0	0	0	0	-4	-5	-1	-4
13	871	3	4	0	0	0	0	0	0	-4	-1	-3
13	884	2	4	3	0	0	0	0	0	-4	-2	-4
13	895	4	4	2	1	0	0	0	-1	-5	-2	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            KITSAP**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
13	918	4	4	4	0	0	0	0	-1	-5	-1	-4
13	962	5	4	3	0	0	0	0	0	-5	-2	-3
13	972	1	3	4	0	0	0	0	-5	-5	-2	-2
13	1014	4	4	3	0	0	0	0	-4	-5	-2	-4
12	684	4	3	4	0	0	0	0	0	-5	-1	-3
12	747	4	3	4	0	0	0	0	0	-5	-1	-3
12	863	1	4	0	0	0	0	0	-1	-5	-1	-1
12	900	3	4	0	2	0	0	0	0	-4	-2	-5
11	860	3	4	0	0	0	0	0	-2	-4	-1	-5
11	991	3	3	3	0	0	0	0	-5	-5	-2	-3
10	714	4	3	1	0	0	0	0	0	-5	-1	-3
10	749	4	3	2	0	0	0	0	0	-5	-1	-3
10	761	4	2	3	0	0	0	0	-5	-5	-1	-3
10	820	5	4	0	0	0	0	0	-1	-5	-2	-4
10	832	5	3	1	0	0	0	0	-1	-5	-1	-3
10	878	4	3	2	0	0	0	0	0	-5	-1	-3
10	897	2	4	0	1	0	0	0	-5	-5	-2	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            KITSAP**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
10	916	4	3	4	0	0	0	0	0	-5	-2	-4
9	767	4	4	0	0	0	0	0	0	-5	-2	-3
9	796	1	1	1	0	0	0	0	0	-5	-2	-1
9	848	2	3	1	0	0	0	0	-5	-5	-1	-2
9	917	1	3	1	0	0	0	0	-3	-5	-1	-4
8	802	2	2	3	0	0	0	0	0	-5	-1	-2
8	826	4	3	1	0	0	0	0	-1	-5	-1	-4
8	943	1	1	0	0	0	0	0	-2	-5	-2	-1
7	814	3	3	1	0	0	0	0	-2	-5	-2	-4
7	868	4	3	0	0	0	0	0	0	-5	-1	-4
7	883	4	3	0	0	0	0	0	0	-5	-1	-5
7	893	1	3	0	0	0	0	0	0	-5	-1	-4



***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            LOWER SKAGIT-SAMISH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
23	391	4	4	1	1	0	0	0	0	0	-1	0
22	382	5	4	1	1	0	0	0	0	-2	-1	0
21	258	2	4	4	3	0	0	0	-1	-2	-3	-1
21	370	2	4	3	0	0	0	0	0	0	-2	0
20	290	4	4	2	3	0	0	0	0	-2	-4	-1
20	354	1	4	3	0	0	0	0	0	0	-2	0
19	400	2	4	0	0	0	0	0	-2	0	-1	0
18	241	1	4	1	0	0	0	0	-2	0	-2	0
18	243	1	4	1	3	0	0	0	0	-1	-3	-1
18	255	4	4	4	0	0	0	0	-3	-4	-2	0
18	287	5	4	4	2	0	0	0	0	-2	-3	-3
18	372	1	4	1	0	0	0	0	0	0	-2	0
18	373	2	4	0	0	0	0	0	0	0	-2	0
17	245	1	4	1	3	0	0	0	-1	-1	-3	-2
17	285	4	4	0	2	0	0	0	0	-3	-3	-1
17	286	0	4	1	0	0	0	0	-3	0	-2	0
17	315	1	4	0	0	0	0	0	0	0	-2	0

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            LOWER SKAGIT-SAMISH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
17	322	5	3	3	2	0	0	0	0	-5	-3	0
16	201	5	4	0	0	0	0	0	-1	-1	-1	-5
16	261	5	3	2	1	0	0	0	0	-3	-2	-4
16	324	3	4	3	0	0	0	0	0	-5	-2	0
16	347	0	4	0	0	0	0	0	0	0	-2	0
16	361	5	2	0	1	0	0	0	0	-3	-1	0
15	323	1	4	3	0	0	0	0	-1	-5	-2	0
15	335	3	4	0	2	0	0	0	0	-3	-3	-2
15	338	1	2	0	0	0	0	0	0	0	-2	0
15	364	5	4	1	1	0	0	0	0	-5	-2	-3
14	226	1	4	2	0	0	0	0	0	-4	-2	-1
14	280	5	2	5	0	0	0	0	0	-5	-1	-3
14	293	4	3	3	1	0	0	0	0	-5	-2	0
14	299	3	4	0	2	0	0	0	0	-4	-3	-2
13	251	3	3	1	1	0	0	0	-5	-4	-2	-3
13	295	4	2	4	0	0	0	0	0	-4	-1	-3
13	320	2	4	0	1	0	0	0	0	-3	-3	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            LOWER SKAGIT-SAMISH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
13	345	4	2	2	0	0	0	0	0	-5	-2	-1
13	346	1	4	1	0	0	0	0	0	-5	-2	0
13	368	4	3	0	0	0	0	0	0	-5	-2	-1
13	389	5	3	1	0	0	0	0	0	-4	-1	-1
12	250	3	4	0	1	0	0	0	0	-4	-2	-1
12	253	4	3	0	1	0	0	0	0	-3	-1	-5
12	256	4	2	3	0	0	0	0	0	-3	-1	-4
12	305	4	2	2	1	0	0	0	-2	-5	-1	0
12	310	5	3	1	0	0	0	0	-2	-3	-2	-4
12	311	5	3	2	0	0	0	0	0	-4	-2	-4
12	331	5	3	2	0	0	0	0	0	-5	-2	-3
11	184	5	4	0	1	0	0	0	0	-4	-2	-5
11	221	4	4	0	1	0	0	0	-5	-4	-2	-5
11	306	4	4	0	1	0	0	0	0	-4	-3	-3
10	211	5	4	0	1	0	0	0	0	-5	-2	-5
10	248	1	4	0	1	0	0	0	0	-4	-2	-4
10	327	2	2	0	0	0	0	0	-5	-4	-1	-1

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas (WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name LOWER SKAGIT-SAMISH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>					<i>-----Access-----</i>			<i>Minus Factors</i>		
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
10	343	0	2	0	0	0	0	0	0	-4	-2	0
9	265	4	3	1	0	0	0	0	0	-4	-2	-4
8	178	3	4	2	2	0	0	0	0	-5	-3	-5
8	289	3	2	0	0	0	0	0	0	-4	-1	-4

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>					<i>-----Access-----</i>			<i>Minus Factors</i>		
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
12	332	3	4	0	1	0	0	1	0	-4	-3	-3

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            NISQUALLY**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
14	1110	3	4	0	0	0	0	0	-2	-3	-2	-2
14	1126	3	4	0	1	0	0	0	0	-4	-2	-1
13	1123	5	4	1	0	0	0	0	0	-5	-2	-3
13	1127	4	4	0	0	0	0	0	-5	-5	-2	-2
13	1141	3	4	2	0	0	0	0	-2	-5	-3	-2
13	1144	2	4	0	1	0	0	0	-5	-5	-3	0
12	1076	5	3	2	0	0	0	0	-1	-5	-2	-5
12	1111	5	4	0	0	0	0	0	0	-5	-1	-3
12	1133	4	3	0	0	0	0	0	-4	-5	-1	-2
12	1139	4	4	0	0	0	0	0	0	-5	-3	-2
11	1052	5	3	3	0	0	0	0	0	-5	-2	-5
11	1093	4	3	0	0	0	0	0	-5	-3	-1	-5
11	1103	5	4	2	0	0	0	0	0	-5	-3	-3
11	1117	5	4	0	0	0	0	0	-1	-4	-1	-3
11	1118	3	4	0	0	0	0	0	-2	-5	-2	-2
11	1125	5	4	0	0	0	0	0	-1	-5	-1	-3
10	1069	5	3	0	0	0	0	0	0	-5	-1	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            NISQUALLY**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
10	1079	5	4	2	0	0	0	0	0	-5	-2	-5
10	1083	5	4	0	0	0	0	0	0	-4	-1	-4
10	1095	5	3	0	0	0	0	0	0	-4	-1	-5
10	1096	2	4	0	0	0	0	0	-2	-4	-1	-5
10	1098	4	4	0	0	0	0	0	-3	-5	-1	-3
10	1102	5	3	0	0	0	0	0	-3	-5	-1	-4
10	1105	5	4	1	0	0	0	0	0	-5	-1	-3
10	1119	4	4	0	0	0	0	0	0	-5	-2	-3
10	1136	1	4	0	0	0	0	0	0	-5	-3	-1
9	1078	5	3	0	0	0	0	0	-3	-5	-1	-3
9	1114	4	4	0	0	0	0	0	0	-5	-1	-3
8	1099	4	3	0	0	0	0	0	-3	-4	-1	-5
7	1094	5	3	1	0	0	0	0	-2	-5	-1	-5
7	1128	3	4	0	0	0	0	0	0	-5	-2	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            NISQUALLY**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

Priority	Subwatershed Number	Plus Factors				-----Access-----			Minus Factors			
		Total Wetlands	Land Cover	Bald Eagles	Undisturbed Habitat	Artificial Populations	Reservoir	Historically Inaccessible	Artificial Wetlands	Road Density	Slope	Hatcheries
21	1169	1	4	0	4	0	0	1	0	-1	-1	0
20	1138	4	3	0	4	0	1	1	0	-1	-4	0
20	1143	3	4	0	4	0	1	1	0	-1	-4	0
20	1179	4	4	0	3	0	1	1	-2	-2	-3	0
18	1137	4	3	0	3	0	1	1	0	-2	-4	0
18	1153	5	2	0	0	0	1	1	0	-1	-1	-1
17	1154	4	4	0	2	0	1	1	0	-4	-3	0
17	1177	3	4	0	2	0	1	1	-1	-3	-3	0
16	1159	1	4	0	0	0	1	1	0	0	-1	-2
16	1163	4	4	0	2	0	1	1	0	-3	-3	0
15	1135	3	4	0	2	0	0	1	0	-3	-2	-2
15	1161	1	3	0	0	0	1	1	-2	0	-1	-2
15	1166	3	4	2	0	0	1	1	0	-4	-3	-1
15	1183	3	4	0	1	0	1	1	0	-4	-3	0
15	1184	2	4	0	2	0	1	1	0	-4	-3	0
15	1190	3	4	0	1	0	1	1	0	-4	-3	0
14	1160	1	2	0	0	0	0	1	-4	0	-1	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            NISQUALLY**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
14	1178	3	4	0	1	0	1	1	0	-4	-3	0
14	1180	3	4	0	2	0	1	1	0	-4	-3	0
14	1181	4	4	0	0	0	1	1	0	-5	-3	0
14	1182	1	4	0	2	0	1	1	0	-4	-3	0
13	1172	3	4	0	0	0	1	1	0	-5	-3	0
12	1162	2	4	1	1	0	1	1	-2	-5	-2	-1
12	1167	5	4	0	1	0	1	1	0	-5	-3	0
12	1185	1	4	0	2	0	1	1	0	-5	-4	0
12	1187	2	4	0	1	0	1	1	0	-5	-4	0
12	1188	2	4	0	0	0	1	1	0	-5	-3	0
12	1191	1	4	0	1	0	1	1	-1	-5	-3	0
12	1192	2	4	0	1	0	1	1	-4	-5	-3	0
11	1124	2	4	0	0	0	0	1	-3	-5	-3	-1
11	1150	2	4	0	0	0	1	1	0	-5	-2	-2
11	1170	1	4	0	0	0	1	1	0	-4	-3	-1
11	1171	1	4	0	1	0	1	1	0	-4	-4	-1
11	1189	1	4	0	0	0	1	1	0	-5	-3	0



***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            NISQUALLY**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
10	1165	1	4	0	0	0	1	1	0	-5	-2	-2
10	1186	1	4	0	0	0	1	1	0	-5	-4	0
9	1142	2	4	0	0	0	0	1	-1	-5	-2	-2
9	1145	2	4	0	0	0	1	1	0	-5	-3	-2
9	1164	1	4	0	0	0	1	1	0	-5	-3	-2
8	1055	2	3	0	0	0	0	1	0	-5	-1	-5
7	1059	1	3	0	0	0	0	1	0	-5	-1	-5
7	1066	1	4	0	0	0	0	1	0	-5	-1	-5
4	1054	1	2	0	0	0	0	1	0	-5	-1	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name**            **NOOKSACK**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
21	49	2	4	0	5	0	0	0	-5	0	-4	0
20	142	4	4	0	0	0	0	0	-2	0	-1	-1
20	174	3	4	4	0	0	0	0	-5	-2	-2	-1
19	13	2	4	0	4	0	0	0	0	0	-5	0
19	14	1	4	0	5	0	0	0	0	0	-5	0
19	36	1	4	0	5	0	0	0	0	0	-5	0
18	41	1	3	0	5	0	0	0	0	0	-5	0
18	84	4	4	5	2	0	0	0	0	-3	-3	-5
18	162	3	4	5	3	0	0	0	0	-3	-3	-2
17	44	5	2	5	0	0	0	0	-2	-3	-1	-1
17	213	1	4	1	0	0	0	0	0	0	-2	-1
16	48	5	3	3	2	0	0	0	0	-5	-1	0
16	216	3	4	0	2	0	0	0	0	-3	-3	-1
15	19	5	3	0	0	0	0	0	-3	-2	-1	0
15	25	5	3	0	0	0	0	0	-5	-2	-1	0
15	35	3	4	2	2	0	0	0	0	-2	-3	-4
15	66	2	4	0	3	0	0	0	0	-2	-4	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            NOOKSACK**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
15	88	4	4	3	1	0	0	0	-5	-3	-2	-5
14	22	1	3	3	2	0	0	0	-2	-2	-3	-4
14	72	3	4	3	2	0	0	0	0	-4	-3	-5
14	78	5	3	3	0	0	0	0	-4	-4	-1	-1
14	115	5	4	3	2	0	0	0	-5	-4	-3	-5
14	122	4	4	4	2	0	0	0	0	-4	-4	-5
14	204	1	4	0	3	0	0	0	0	-3	-3	-2
13	16	3	2	1	0	0	0	0	0	-4	-1	0
13	42	4	4	1	1	0	0	0	-5	-4	-3	-4
13	43	5	2	0	0	0	0	0	-4	-2	-1	0
13	70	2	4	2	2	0	0	0	0	-4	-4	-3
13	76	4	4	1	2	0	0	0	0	-4	-3	-5
13	87	1	4	0	3	0	0	0	-1	-3	-4	-2
13	100	5	3	3	0	0	0	0	-3	-4	-1	-3
13	101	4	2	3	0	0	0	0	0	-4	-1	-2
12	20	4	2	1	0	0	0	0	-2	-3	-1	-2
12	21	3	3	2	0	0	0	0	0	-3	-2	-3

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            NOOKSACK**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
12	56	3	3	2	2	0	0	0	-3	-3	-3	-4
12	99	4	3	2	1	0	0	0	-4	-3	-2	-5
12	102	4	4	0	2	0	0	0	0	-3	-4	-5
12	121	2	4	0	1	0	0	0	-1	-2	-2	-5
12	125	4	4	1	2	0	0	0	0	-3	-3	-5
12	177	3	4	0	2	0	0	0	-4	-4	-3	-4
12	196	3	4	0	3	0	0	0	-3	-4	-3	-5
12	209	2	4	0	2	0	0	0	0	-4	-3	-3
12	223	3	4	0	2	0	0	0	0	-4	-3	-4
12	228	3	3	2	1	0	0	0	0	-4	-2	-4
11	26	5	3	0	0	0	0	0	0	-5	-1	0
11	50	5	3	0	0	0	0	0	0	-4	-1	-1
11	51	1	4	0	2	0	0	0	0	-3	-4	-3
11	79	5	2	1	0	0	0	0	0	-4	-1	-2
11	179	0	4	0	2	0	0	0	0	-3	-3	-3
11	182	3	4	0	2	0	0	0	-4	-4	-3	-5
11	202	4	4	0	2	0	0	0	0	-4	-3	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            NOOKSACK**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

Priority	Subwatershed Number	Plus Factors				-----Access-----			Minus Factors			
		Total Wetlands	Land Cover	Bald Eagles	Undisturbed Habitat	Artificial Populations	Reservoir	Historically Inaccessible	Artificial Wetlands	Road Density	Slope	Hatcheries
10	94	5	2	0	0	0	0	0	-1	-3	-1	-2
10	96	3	3	1	0	0	0	0	0	-3	-1	-5
10	154	3	4	0	1	0	0	0	0	-5	-3	-4
10	159	4	4	0	2	0	0	0	-3	-4	-2	-5
10	165	4	3	3	1	0	0	0	0	-5	-3	-4
9	57	4	4	0	1	0	0	0	0	-3	-3	-5
9	69	4	2	0	0	0	0	0	0	-4	-1	-1
9	77	2	4	0	2	0	0	0	-5	-4	-4	-5
9	89	5	2	0	0	0	0	0	0	-3	-1	-3
9	116	5	3	0	0	0	0	0	-5	-4	-1	-3
8	109	5	2	0	0	0	0	0	0	-4	-1	-3
8	124	1	4	0	1	0	0	0	-2	-4	-3	-5
7	40	1	4	0	1	0	0	0	0	-4	-3	-4
7	74	3	3	0	2	0	0	0	-1	-3	-3	-5
6	38	1	2	0	0	0	0	0	0	-5	-2	0
6	117	4	2	0	0	0	0	0	0	-5	-1	-3
5	145	2	2	0	0	0	0	0	0	-5	-1	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            NOOKSACK**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
20	15	2	4	0	5	0	0	1	-2	0	-5	0
20	60	2	4	0	5	0	0	1	0	0	-5	0
19	34	1	4	0	5	0	0	1	-1	0	-5	0
19	53	1	4	0	5	0	0	1	0	0	-5	0
19	58	1	4	0	5	0	0	1	0	0	-5	0
19	59	1	4	0	5	0	0	1	0	0	-5	0
19	73	1	4	0	5	0	0	1	-4	0	-5	0
19	151	5	4	0	3	0	0	1	0	-1	-1	-5
18	11	2	3	0	4	0	0	1	0	0	-5	0
18	29	2	4	0	4	0	0	1	0	0	-5	-1
18	30	1	4	0	5	0	0	1	0	0	-4	-2
18	39	1	4	0	5	0	0	1	-2	0	-5	-1
18	67	3	4	0	4	0	0	1	0	-1	-5	-1
18	144	2	4	0	4	0	0	1	-3	-1	-4	-1
17	27	0	4	0	4	0	0	1	0	0	-5	0
17	31	1	4	0	4	0	0	1	0	0	-4	-2
17	62	4	4	0	3	0	0	1	0	-2	-4	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            NOOKSACK**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
17	81	3	3	0	4	0	0	1	-2	-1	-4	-2
17	86	3	3	0	4	0	0	1	0	-1	-5	-1
17	171	2	4	0	4	0	0	1	-5	-1	-4	-2
16	10	0	3	0	4	0	0	1	0	0	-5	0
16	54	2	4	0	3	0	0	1	-2	-2	-4	-1
16	64	1	4	0	4	0	0	1	0	-1	-4	-2
16	133	1	4	0	4	0	0	1	-2	-1	-4	-2
15	28	0	3	0	4	0	0	1	0	0	-5	-1
15	32	1	4	0	3	0	0	1	-5	-1	-4	-2
15	37	1	4	0	3	0	0	1	-4	-2	-3	-2
14	80	2	4	0	3	0	0	1	0	-3	-4	-2
14	107	1	3	0	3	0	0	1	0	-1	-4	-2
14	135	2	4	3	3	0	0	1	0	-3	-3	-5
14	192	1	4	0	3	0	0	1	-5	-2	-4	-2
12	108	1	4	0	3	0	0	1	-5	-3	-3	-4
12	169	1	4	0	3	0	0	1	0	-3	-4	-3
11	23	2	4	0	2	0	0	1	0	-2	-3	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name        NOOKSACK**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
11	118	1	4	0	3	0	0	1	0	-3	-4	-4
11	140	2	4	0	2	0	0	1	0	-4	-3	-4
9	24	1	4	0	0	0	0	1	-4	-4	-3	-3
9	138	3	4	2	1	0	0	1	0	-5	-3	-4
6	91	0	4	0	1	0	0	1	-4	-4	-4	-5



***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            PUYALLUP-WHITE**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
20	1082	3	4	0	4	0	0	0	-4	-1	-4	0
20	1091	4	4	0	4	0	0	0	-4	-1	-5	0
18	1071	3	4	0	3	0	0	0	0	-2	-4	0
17	1080	3	4	0	3	0	0	0	-4	-2	-5	0
16	1044	3	4	0	2	0	0	0	-1	-4	-3	0
16	1063	1	4	0	3	0	0	0	0	-2	-4	0
16	1067	2	4	0	3	0	0	0	-2	-3	-4	0
16	1084	4	4	0	2	0	0	0	-5	-4	-3	-1
15	1037	5	4	0	1	0	0	0	-1	-5	-4	0
14	1005	3	4	0	1	0	0	0	-5	-5	-3	0
14	1043	1	4	0	2	0	0	0	0	-4	-3	0
14	1062	2	4	0	2	0	0	0	0	-4	-4	0
13	1012	2	4	0	1	0	0	0	-1	-5	-3	0
13	1022	3	4	0	0	0	0	0	-3	-5	-3	0
13	1034	2	4	0	1	0	0	0	-1	-5	-3	0
13	1036	1	4	0	2	0	0	0	0	-4	-4	0
13	1070	1	4	0	1	0	0	0	0	-4	-3	0

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            PUYALLUP-WHITE**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
13	1112	2	4	0	1	0	0	0	-2	-4	-3	-1
12	1029	2	4	0	1	0	0	0	0	-5	-4	0
12	1030	3	4	0	1	0	0	0	0	-4	-3	-3
12	1092	5	4	1	1	0	0	0	-1	-4	-2	-3
12	1097	3	4	0	1	0	0	0	-3	-3	-3	-2
10	964	5	3	2	2	0	0	0	-2	-4	-2	-5
10	998	4	4	0	0	0	0	0	-1	-4	-2	-4
10	1042	4	4	1	0	0	0	0	0	-5	-3	-4
10	1068	4	4	0	1	0	0	0	-2	-5	-2	-4
9	1028	4	4	0	0	0	0	0	0	-4	-2	-5
9	1038	3	4	0	0	0	0	0	0	-5	-2	-4
9	1058	3	4	0	0	0	0	0	0	-5	-2	-4
8	1026	3	3	0	0	0	0	0	-1	-5	-2	-5
7	948	5	2	1	0	0	0	0	0	-5	-1	-5
7	958	5	2	0	0	0	0	0	0	-5	-2	-5
7	1040	5	3	0	0	0	0	0	-4	-4	-2	-5
6	944	3	3	0	0	0	0	0	0	-5	-2	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name**            **PUYALLUP-WHITE**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
6	1006	5	3	1	0	0	0	0	-4	-5	-2	-5
5	992	4	2	1	0	0	0	0	0	-5	-1	-5
4	1015	4	3	0	0	0	0	0	-4	-5	-3	-5
4	1041	3	3	0	0	0	0	0	-1	-5	-2	-5
3	975	3	1	1	0	0	0	0	0	-5	-2	-5
3	986	4	3	0	0	0	0	0	0	-5	-3	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            PUYALLUP-WHITE**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
21	1057	3	4	0	5	0	0	1	-1	-1	-4	0
21	1075	4	4	0	4	0	0	1	0	-1	-4	0
21	1101	3	3	0	5	0	0	1	-2	0	-4	0
20	1087	2	4	0	5	0	0	1	0	-1	-4	0
20	1088	4	4	0	4	1	0	0	0	-2	-4	0
20	1089	3	4	0	4	0	0	1	0	-1	-4	0
20	1106	3	3	0	5	0	0	1	0	-1	-4	0
19	1064	2	4	0	4	0	0	1	0	-1	-4	0
19	1115	3	3	0	4	0	0	1	0	-1	-4	0
19	1116	3	3	0	4	0	0	1	-4	-1	-4	0
19	1129	4	4	0	3	0	0	1	0	-2	-4	0
18	984	5	4	0	3	0	0	1	0	-2	-1	-5
18	1049	2	4	0	4	0	1	0	-2	-1	-5	0
18	1108	0	3	0	5	0	0	1	0	0	-4	0
17	1086	2	4	0	3	0	0	1	0	-2	-4	0
17	1104	2	4	0	3	0	0	1	-5	-2	-4	0
17	1122	1	3	0	4	0	0	1	-1	-1	-4	0

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            PUYALLUP-WHITE**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
16	1004	5	4	0	1	0	1	0	0	-4	-3	-1
16	1120	3	4	0	2	0	0	1	-5	-4	-3	0
15	1065	2	4	0	3	0	0	1	-1	-3	-4	-1
15	1090	3	4	0	1	0	0	1	0	-4	-2	-1
15	1109	3	4	0	1	0	0	1	0	-4	-3	0
13	1019	4	4	0	1	0	1	0	0	-4	-3	-2
13	1047	1	4	0	2	0	1	1	-1	-4	-4	0
13	1048	2	4	0	2	0	0	1	0	-3	-3	-2
13	1130	2	4	0	1	0	0	1	-3	-5	-3	0
12	996	4	4	0	0	0	1	1	0	-4	-2	-4
12	1031	2	4	0	1	0	1	0	0	-4	-3	-2
12	1046	1	4	0	2	0	1	0	0	-5	-4	0
12	1073	3	4	0	0	0	0	1	-2	-4	-2	-3
11	994	2	4	0	2	0	0	1	0	-5	-1	-5
10	1039	1	4	0	0	0	1	0	-4	-5	-4	0
10	1056	1	4	0	0	0	0	1	0	-3	-3	-3
10	1061	1	4	0	1	0	0	1	0	-4	-3	-3

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            PUYALLUP-WHITE**

***Accessibility = 1*** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

		<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
<i>Priority</i>	<i>Subwatershed Number</i>	<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
8	1000	1	4	0	0	0	0	1	0	-5	-1	-5
8	1060	1	4	0	0	0	0	1	0	-5	-2	-4
1	1003	1	2	0	0	0	0	1	0	-5	-1	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            QUILCENE-SNOW**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
17	662	1	4	1	0	0	0	0	0	0	-2	-1
16	568	2	4	3	0	0	0	0	0	-5	-2	0
16	644	3	4	0	3	0	0	0	0	-3	-3	-2
16	678	3	4	3	2	0	0	0	0	-4	-4	-2
15	541	3	3	5	0	0	0	0	-5	-5	-2	0
15	595	5	4	1	0	0	0	0	0	-4	-1	-1
15	643	4	4	0	0	0	0	0	0	-4	-1	-2
15	694	3	4	5	0	0	0	0	0	-5	-2	-4
14	511	4	3	5	0	0	0	0	-1	-5	-2	0
14	519	1	3	4	0	0	0	0	0	-5	-2	-1
14	576	2	4	2	0	0	0	0	0	-5	-2	-1
14	594	5	3	0	0	0	0	0	-3	-3	-2	-1
14	640	4	4	4	0	0	0	0	0	-5	-2	-2
14	657	3	4	1	0	0	0	0	0	-4	-1	-3
13	582	2	4	1	0	0	0	0	-2	-4	-1	-1
13	608	3	4	1	0	0	0	0	-5	-4	-2	-1
13	623	5	4	0	0	0	0	0	-1	-4	-1	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            QUILCENE-SNOW**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
13	624	3	4	0	2	0	0	0	0	-3	-3	-3
13	633	4	4	4	0	0	0	0	-3	-4	-2	-3
13	651	1	4	0	3	0	0	0	0	-3	-4	-2
12	544	3	4	4	0	0	0	0	-4	-5	-2	-3
12	560	3	3	0	0	0	0	0	0	-5	-2	0
12	603	2	4	0	1	0	0	0	0	-4	-2	-2
12	605	3	4	0	0	0	0	0	0	-5	-1	-1
12	702	2	4	3	0	0	0	0	0	-5	-3	-3
11	556	2	4	3	0	0	0	0	0	-5	-1	-4
11	588	2	4	0	1	0	0	0	-2	-4	-3	-3
11	675	1	4	4	0	0	0	0	0	-5	-2	-4
10	669	3	4	0	0	0	0	0	0	-5	-2	-2
8	558	3	4	3	0	0	0	0	0	-5	-2	-4
8	719	0	4	0	0	0	0	0	-5	-4	-3	-3



***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            QUILCENE-SNOW**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
15	704	1	4	0	4	0	0	1	0	-1	-5	-2
13	718	1	4	0	3	0	0	1	0	-2	-5	-2
12	687	0	4	0	3	0	0	1	-3	-2	-5	-2
11	673	1	4	0	2	0	0	1	0	-4	-4	-2
9	706	0	4	0	2	0	0	1	0	-4	-5	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            SAN JUAN**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
21	242	4	4	4	2	0	0	0	0	-3	-2	0
19	137	0	4	4	0	0	0	0	-3	0	-2	-1
19	161	1	4	3	0	0	0	0	-3	0	-2	-1
19	205	1	4	2	0	0	0	0	-4	0	-2	0
18	234	1	4	4	0	0	0	0	0	-2	-2	0
18	257	3	4	5	0	0	0	0	0	-3	-3	-2
18	271	5	3	4	1	0	0	0	0	-3	-2	0
18	283	0	4	2	0	0	0	0	0	0	-2	0
18	300	1	4	1	0	0	0	0	0	0	-2	0
18	319	1	4	3	0	0	0	0	0	-2	-2	0
17	247	0	4	2	0	0	0	0	0	0	-2	-1
17	291	2	4	3	0	0	0	0	0	-4	-2	0
16	194	0	4	0	0	0	0	0	-3	0	-2	0
16	197	4	4	3	3	0	0	0	0	-4	-3	-2
16	219	0	4	0	0	0	0	0	-1	0	-2	0
16	233	0	4	1	0	0	0	0	-1	0	-2	-1
16	272	0	4	0	0	0	0	0	0	0	-2	0

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            SAN JUAN**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
16	276	0	4	1	0	0	0	0	0	0	-2	-1
16	296	0	4	0	0	0	0	0	-4	0	-2	0
16	297	4	3	4	0	0	0	0	0	-4	-1	0
16	303	0	4	0	0	0	0	0	0	0	-2	0
16	314	1	4	0	0	0	0	0	0	-1	-2	0
16	341	0	4	0	0	0	0	0	0	0	-2	0
15	218	1	3	3	0	0	0	0	0	-4	-2	0
15	267	4	3	5	0	0	0	0	-2	-5	-1	0
15	342	0	3	0	0	0	0	0	0	0	-2	0
14	152	1	4	2	0	0	0	0	-5	-4	-2	-1
14	176	1	4	4	2	0	0	0	0	-3	-3	-2
14	190	1	4	3	0	0	0	0	0	-4	-2	0
14	195	2	4	4	1	0	0	0	0	-4	-2	-2
14	232	3	4	3	2	0	0	0	0	-5	-2	0
14	252	3	4	5	0	0	0	0	-1	-4	-1	-2
14	264	4	3	4	0	0	0	0	-3	-4	-2	-1
14	269	3	4	4	1	0	0	0	0	-5	-2	0

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            SAN JUAN**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
13	173	2	4	4	0	0	0	0	0	-4	-2	-2
13	175	3	4	5	2	0	0	0	-3	-5	-3	-2
13	206	2	4	4	2	0	0	0	0	-5	-2	-2
13	231	1	4	0	0	0	0	0	-5	-5	-1	0
13	328	3	4	4	0	0	0	0	0	-5	-2	0
12	240	0	4	1	0	0	0	0	0	-5	-2	0
12	249	1	3	0	0	0	0	0	-3	-5	-1	0
11	183	2	4	3	2	0	0	0	-2	-5	-3	-2
11	279	0	4	0	0	0	0	0	-3	-5	-2	0
11	294	1	3	0	0	0	0	0	-3	-5	-2	0
10	246	1	4	0	0	0	0	0	0	-5	-2	-1
10	309	0	3	0	0	0	0	0	-2	-5	-2	0
9	193	3	3	0	2	0	0	0	0	-4	-2	-2
8	222	2	4	0	2	0	0	0	0	-5	-2	-2
8	270	0	3	1	0	0	0	0	-4	-5	-3	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name SKOKOMISH-DOSEWALLIPS**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

Priority	Subwatershed Number	Plus Factors				-----Access-----			Minus Factors			
		Total Wetlands	Land Cover	Bald Eagles	Undisturbed Habitat	Artificial Populations	Reservoir	Historically Inaccessible	Artificial Wetlands	Road Density	Slope	Hatcheries
18	804	3	4	2	2	0	0	0	-1	-3	-3	-1
17	788	1	4	3	1	0	0	0	0	-3	-3	0
16	737	3	4	0	3	0	0	0	-1	-1	-5	-2
16	756	2	4	3	2	0	0	0	0	-4	-3	-2
16	773	1	4	1	3	0	0	0	0	-3	-4	0
15	841	4	4	0	2	0	0	0	-3	-4	-3	-2
14	728	2	4	0	3	0	0	0	0	-2	-5	-2
14	754	1	4	0	3	0	0	0	0	-2	-5	-1
14	791	1	4	0	2	0	0	0	0	-4	-3	0
14	880	2	4	3	2	0	0	0	0	-4	-2	-5
13	928	3	4	4	0	0	0	0	0	-4	-3	-5
13	930	5	4	4	0	0	0	0	0	-5	-2	-5
13	933	4	4	1	0	0	0	0	0	-2	-3	-5
12	743	3	4	0	1	0	0	0	0	-4	-3	-3
12	870	3	4	0	1	0	0	0	0	-4	-3	-3
11	838	1	4	0	1	0	0	0	0	-4	-3	-2
10	739	2	4	1	0	0	0	0	-1	-4	-3	-3

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name SKOKOMISH-DOSEWALLIPS**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
10	906	3	4	0	0	0	0	0	0	-3	-3	-5
9	887	3	4	0	0	0	0	0	-4	-5	-4	-3
8	896	4	3	0	1	0	0	0	0	-5	-3	-5
8	902	2	4	0	0	0	0	0	0	-4	-3	-5
8	922	3	4	0	0	0	0	0	-5	-4	-4	-5
6	882	1	4	0	1	0	0	0	-3	-5	-4	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name SKOKOMISH-DOSEWALLIPS**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

Priority	Subwatershed Number	Plus Factors				-----Access-----			Minus Factors			
		Total Wetlands	Land Cover	Bald Eagles	Undisturbed Habitat	Artificial Populations	Reservoir	Historically Inaccessible	Artificial Wetlands	Road Density	Slope	Hatcheries
22	792	2	4	5	3	0	0	1	0	-2	-4	0
21	855	5	4	0	4	0	1	1	0	-1	-1	-4
20	701	2	4	0	5	0	0	1	0	0	-5	0
20	722	2	4	0	5	0	0	1	0	0	-5	0
20	736	2	4	0	5	0	0	1	0	0	-5	0
20	751	3	4	0	5	0	0	1	-2	-1	-5	0
20	760	2	4	0	5	0	0	1	-4	0	-5	0
20	765	2	4	0	5	0	0	1	0	0	-5	0
20	806	2	4	0	5	0	1	1	0	0	-5	0
20	835	2	4	0	5	0	1	1	-3	0	-5	0
19	695	2	3	0	5	0	0	1	0	0	-5	0
19	715	1	4	0	5	0	0	1	0	0	-5	0
19	774	3	4	0	4	0	0	1	0	-1	-5	0
19	784	1	4	0	5	0	1	1	0	0	-5	0
19	785	3	4	0	4	0	0	1	0	-1	-5	0
19	813	1	4	0	5	0	1	1	-3	0	-5	0
18	723	2	4	0	4	0	0	1	0	-1	-5	0

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name SKOKOMISH-DOSEWALLIPS**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

Priority	Subwatershed Number	Plus Factors				-----Access-----			Minus Factors			
		Total Wetlands	Land Cover	Bald Eagles	Undisturbed Habitat	Artificial Populations	Reservoir	Historically Inaccessible	Artificial Wetlands	Road Density	Slope	Hatcheries
18	786	3	4	0	3	0	0	1	-3	-1	-5	0
17	829	2	4	0	4	0	1	1	0	-1	-5	-1
17	839	1	4	0	4	0	0	1	0	-1	-5	0
16	807	3	4	0	3	0	0	1	0	-2	-5	-1
16	865	1	4	0	4	0	1	1	0	-1	-5	-1
16	876	1	4	0	3	0	1	1	0	-3	-1	-2
15	779	2	4	0	3	0	0	1	0	-3	-5	0
15	843	2	4	0	3	0	1	1	0	-2	-5	-1
15	846	4	4	0	1	0	0	1	-5	-3	-3	-2
14	872	1	4	0	3	0	1	1	0	-2	-4	-2
14	873	3	4	0	2	0	0	1	-1	-4	-5	0
14	894	2	4	0	2	0	0	1	0	-4	-4	0
12	842	2	4	0	2	0	1	1	0	-4	-4	-2
12	852	1	4	0	3	0	1	1	0	-3	-5	-2
11	819	1	4	0	2	0	0	1	-2	-4	-4	-2
10	727	1	4	0	1	0	0	1	0	-4	-4	-2
9	874	0	4	0	2	0	0	1	0	-4	-5	-2



***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name**            **SKOKOMISH-DOSEWALLIPS**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
7	885	1	4	0	1	0	1	1	0	-5	-3	-5
6	881	1	4	0	1	0	1	1	0	-5	-4	-5
4	914	1	4	0	0	0	0	1	0	-5	-5	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            SNOHOMISH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
20	613	3	4	0	5	0	0	0	0	-1	-5	0
18	635	1	4	0	4	0	0	0	0	-1	-4	0
17	520	4	4	3	1	0	0	0	-5	-4	-2	-3
17	525	4	4	2	2	0	0	0	-3	-3	-2	-3
17	564	1	4	0	3	0	0	0	-1	-2	-3	0
17	611	1	4	0	4	0	0	0	-5	-1	-5	0
17	655	1	4	0	4	0	0	0	0	-1	-5	0
17	667	5	3	3	2	0	0	0	-4	-5	-2	0
16	571	1	4	0	3	0	0	0	0	-2	-3	-1
16	579	4	4	1	0	0	0	0	0	-5	-1	0
16	580	3	4	0	2	0	0	0	-5	-3	-3	-1
16	592	5	4	0	1	0	0	0	0	-5	-2	-1
16	598	4	3	0	0	0	0	0	-5	-4	-1	0
16	652	1	4	0	4	0	0	0	0	-1	-5	-1
16	653	2	4	0	4	0	0	0	0	-1	-5	-2
16	654	2	4	0	4	0	0	0	0	0	-5	-3
16	670	2	4	0	4	0	0	0	0	-1	-5	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            SNOHOMISH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

Priority	Subwatershed Number	Plus Factors				-----Access-----			Minus Factors			
		Total Wetlands	Land Cover	Bald Eagles	Undisturbed Habitat	Artificial Populations	Reservoir	Historically Inaccessible	Artificial Wetlands	Road Density	Slope	Hatcheries
16	676	3	4	2	2	0	0	0	0	-2	-3	-4
15	549	3	4	0	1	0	0	0	-4	-4	-3	0
15	577	2	4	0	0	0	0	0	-2	-4	-1	0
15	606	2	4	0	3	0	0	0	0	-2	-5	-1
15	665	3	4	0	3	0	0	0	0	-2	-4	-3
15	700	5	4	0	0	0	0	0	0	-5	-2	-1
15	731	5	4	0	0	0	0	0	0	-5	-1	-1
14	614	4	4	0	0	0	0	0	-4	-5	-2	-1
14	622	4	4	0	2	0	0	0	-3	-3	-3	-4
14	663	3	4	0	3	0	0	0	-1	-2	-4	-4
14	664	5	3	1	0	0	0	0	0	-4	-1	-3
14	683	4	4	2	0	0	0	0	-4	-5	-3	-2
14	685	4	4	0	3	0	0	0	0	-3	-4	-4
14	686	4	4	1	1	0	0	0	0	-4	-3	-3
14	692	5	3	1	0	0	0	0	-3	-4	-1	0
13	575	5	2	4	0	0	0	0	0	-5	-1	-1
13	586	1	4	0	2	0	0	0	-2	-3	-3	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            SNOHOMISH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
13	602	4	4	0	2	0	0	0	-1	-3	-3	-3
13	620	5	4	1	1	0	0	0	0	-4	-2	-3
13	625	3	4	0	1	0	0	0	0	-5	-2	-2
13	630	5	3	0	1	0	0	0	0	-4	-1	0
13	636	0	4	0	4	0	0	0	0	-1	-5	-3
13	725	3	4	0	0	0	0	0	-5	-3	-3	-2
13	730	2	4	0	0	0	0	0	-1	-4	-2	-1
13	742	4	3	1	0	0	0	0	0	-4	-1	-2
13	750	4	4	0	0	0	0	0	0	-4	-2	-3
13	764	5	4	0	0	0	0	0	0	-4	-2	-3
13	789	4	3	1	0	0	0	0	0	-4	-1	-4
12	496	5	4	4	0	0	0	0	-5	-5	-2	-3
12	540	4	4	0	0	0	0	0	-3	-5	-2	0
12	543	5	3	0	0	0	0	0	-3	-5	-1	-2
12	567	5	3	0	0	0	0	0	0	-5	-1	-2
12	574	4	2	0	0	0	0	0	-5	-5	-2	-1
12	649	4	3	0	0	0	0	0	-3	-5	-1	-1

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            SNOHOMISH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

Priority	Subwatershed Number	Plus Factors				-----Access-----			Minus Factors			
		Total Wetlands	Land Cover	Bald Eagles	Undisturbed Habitat	Artificial Populations	Reservoir	Historically Inaccessible	Artificial Wetlands	Road Density	Slope	Hatcheries
12	658	3	4	0	1	0	0	0	0	-5	-1	-4
12	677	3	4	1	1	0	0	0	0	-4	-3	-4
12	733	4	3	0	0	0	0	0	0	-5	-1	0
12	770	5	4	0	1	0	0	0	0	-4	-2	-4
11	492	5	3	2	1	0	0	0	0	-5	-1	-3
11	550	3	3	0	0	0	0	0	0	-4	-1	0
11	554	3	3	0	0	0	0	0	0	-5	-1	-1
11	589	1	3	3	0	0	0	0	-2	-5	-2	-1
11	599	5	3	0	0	0	0	0	0	-5	-1	0
11	638	3	4	0	1	0	0	0	0	-5	-2	-4
11	650	5	3	1	1	0	0	0	0	-4	-2	-4
11	672	1	4	0	3	0	0	0	0	-3	-4	-4
11	682	5	3	0	0	0	0	0	0	-4	-2	-1
11	851	3	4	0	1	0	0	0	-3	-4	-2	-4
10	615	5	2	0	0	0	0	0	0	-5	-1	-1
10	815	3	4	0	1	0	0	0	0	-4	-2	-4
9	489	4	3	1	0	0	0	0	-5	-5	-1	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            SNOHOMISH**

***Accessibility = 0*** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
9	510	4	4	0	0	0	0	0	-5	-5	-1	-2
8	534	4	2	0	0	0	0	0	0	-5	-1	-3
8	581	5	2	0	0	0	0	0	-2	-4	-2	-2
7	591	3	1	2	0	0	0	0	0	-5	-2	-2
6	801	2	4	0	0	0	0	0	-5	-5	-2	-3

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            SNOHOMISH**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
22	840	4	4	0	5	0	0	1	0	0	-4	-1
21	738	4	4	2	4	1	0	0	-1	-1	-5	0
21	745	4	4	0	4	1	0	0	0	-1	-4	0
21	753	5	4	1	3	1	0	0	0	-1	-5	0
21	790	3	4	0	5	1	0	0	0	0	-5	0
21	825	4	4	0	5	0	0	1	-4	-1	-5	0
20	793	4	4	0	4	0	0	1	-1	-1	-5	0
19	681	2	4	0	4	1	0	0	-4	-1	-4	0
19	748	3	4	0	3	1	0	0	-4	-1	-4	0
19	769	2	4	0	4	0	0	1	-2	-1	-4	0
19	771	4	4	0	3	0	0	1	-3	-1	-5	0
19	812	3	4	0	4	0	0	1	0	-1	-5	0
19	817	3	4	0	4	0	0	1	-3	-1	-5	0
18	656	2	4	0	3	1	0	0	0	-1	-4	0
18	716	3	4	0	3	1	0	0	0	-2	-4	0
18	757	2	4	0	4	0	0	1	-3	-1	-5	0
18	766	2	4	0	4	1	0	0	-3	-1	-5	0

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            SNOHOMISH**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
17	600	0	4	0	4	0	0	1	0	-1	-4	0
17	691	1	4	0	4	1	0	0	-4	-1	-5	0
17	710	2	4	0	3	1	0	0	0	-2	-4	0
17	711	3	4	1	3	1	0	0	0	-3	-4	-1
17	877	1	4	0	4	0	0	1	-4	-2	-4	0
16	585	1	4	0	4	0	1	1	0	-1	-5	-1
16	690	1	4	0	3	1	0	0	0	-2	-4	0
16	696	4	4	0	3	1	0	0	-4	-2	-4	-3
16	698	1	4	0	3	1	0	0	0	-2	-4	0
16	703	2	4	0	3	1	0	0	0	-3	-4	0
16	797	1	4	0	3	0	0	1	0	-2	-4	0
16	816	1	4	0	3	0	0	1	0	-1	-5	0
16	899	3	4	0	3	0	0	1	0	-3	-4	-1
15	561	2	4	0	3	0	1	1	0	-2	-5	-1
15	604	1	4	0	4	0	1	1	-2	-1	-5	-2
15	724	2	4	0	3	1	0	0	0	-2	-5	-1
15	741	5	4	0	2	0	1	0	-2	-3	-4	-2



***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            SNOHOMISH**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

Priority	Subwatershed Number	Plus Factors				-----Access-----			Minus Factors			
		Total Wetlands	Land Cover	Bald Eagles	Undisturbed Habitat	Artificial Populations	Reservoir	Historically Inaccessible	Artificial Wetlands	Road Density	Slope	Hatcheries
15	746	2	4	0	2	1	0	0	-4	-3	-4	0
15	780	5	4	0	2	0	0	1	-1	-4	-4	-2
14	629	3	4	0	2	0	0	1	-5	-2	-3	-4
14	659	1	4	0	3	1	0	0	0	-3	-5	0
14	661	1	4	0	2	1	0	0	0	-4	-3	0
14	699	1	4	0	5	0	0	1	0	-1	-5	-4
14	717	1	4	0	4	1	0	0	0	-1	-5	-3
14	740	1	4	0	4	1	0	0	-1	-2	-5	-1
14	744	1	4	0	2	1	0	0	0	-4	-3	0
14	763	4	4	0	1	0	0	1	-1	-4	-4	-1
14	837	3	4	0	3	0	0	1	0	-3	-4	-3
14	879	3	4	0	3	0	0	1	0	-4	-4	-2
13	641	1	4	0	4	0	0	1	-4	-1	-5	-4
13	705	2	4	0	2	1	0	0	0	-4	-4	-1
13	755	4	4	0	0	0	0	1	0	-4	-3	-2
13	782	3	4	0	0	0	0	1	0	-4	-2	-2
13	783	4	4	0	0	0	0	1	0	-5	-2	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            SNOHOMISH**

***Accessibility = 1*** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
13	904	3	4	0	2	0	0	1	0	-4	-4	-2
12	712	2	4	0	2	0	0	1	0	-3	-4	-3
12	805	4	4	0	2	0	0	1	0	-4	-4	-3
11	597	4	4	0	3	0	1	1	0	-2	-4	-3
11	713	2	4	0	1	0	0	1	-3	-4	-3	-3
11	875	3	4	0	2	0	0	1	0	-5	-3	-3
10	612	4	4	0	3	0	1	1	0	-2	-4	-4
10	822	4	3	0	0	0	0	1	0	-5	-1	-3
10	823	1	4	0	1	0	0	1	0	-3	-4	-3
10	834	4	3	0	0	0	0	1	0	-5	-2	-4
10	845	2	4	0	1	0	0	1	0	-3	-4	-4
10	850	3	4	0	1	0	0	1	-1	-5	-3	-4
9	609	3	4	0	3	0	1	1	0	-2	-4	-4
7	844	3	4	0	0	0	0	1	0	-3	-4	-4
6	836	4	3	0	0	0	0	1	0	-5	-3	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name**            **STILLAGUAMISH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
20	409	3	4	4	3	0	0	0	-3	-1	-4	-3
15	357	2	4	0	3	0	0	0	0	-2	-3	-3
15	410	2	4	4	3	0	0	0	0	-3	-4	-2
15	475	1	4	0	3	0	0	0	0	-2	-4	-1
14	383	2	4	0	3	0	0	0	0	-2	-4	-3
14	412	1	4	0	3	0	0	0	-5	-2	-4	-2
14	457	2	4	0	2	0	0	0	0	-3	-3	-2
14	494	2	4	0	3	0	0	0	0	-2	-3	-4
13	330	1	4	0	2	0	0	0	-2	-3	-3	-2
13	378	3	4	1	2	0	0	0	0	-4	-3	-4
13	392	2	4	0	3	0	0	0	-1	-2	-3	-5
13	411	1	4	0	3	0	0	0	0	-2	-5	-2
13	443	4	2	0	0	0	0	0	0	-2	-1	-1
13	454	3	4	0	2	0	0	0	0	-3	-3	-4
13	459	4	4	3	0	0	0	0	0	-4	-2	-3
12	360	2	4	0	2	0	0	0	-2	-3	-3	-4
12	387	2	4	0	2	0	0	0	0	-3	-3	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name**            **STILLAGUAMISH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
12	401	5	3	0	0	0	0	0	0	-4	-1	-3
12	405	4	3	0	0	0	0	0	0	-4	-1	-2
12	416	3	4	0	2	0	0	0	0	-3	-3	-4
12	481	3	4	0	0	0	0	0	0	-4	-3	-2
12	527	2	4	0	0	0	0	0	-3	-5	-3	0
11	384	1	4	0	1	0	0	0	0	-4	-3	-2
11	414	2	4	0	2	0	0	0	0	-4	-3	-4
11	436	3	4	0	2	0	0	0	0	-3	-3	-5
11	440	2	4	0	2	0	0	0	0	-4	-3	-4
11	468	4	3	1	0	0	0	0	0	-4	-1	-4
10	351	2	4	0	1	0	0	0	0	-4	-3	-4
10	388	3	4	0	0	0	0	0	-4	-5	-2	-4
10	398	4	3	1	0	0	0	0	-2	-4	-1	-4
10	403	3	4	0	1	0	0	0	-2	-4	-3	-5
10	419	5	3	0	1	0	0	0	-5	-3	-3	-5
10	439	4	2	0	0	0	0	0	0	-4	-2	-3
10	462	1	4	0	2	0	0	0	0	-4	-2	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name**            **STILLAGUAMISH**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
10	472	4	3	1	0	0	0	0	-3	-4	-1	-4
9	376	1	4	0	1	0	0	0	0	-4	-3	-2
9	433	2	2	0	0	0	0	0	0	-5	-1	-2
9	453	2	4	2	1	0	0	0	0	-4	-3	-5
9	474	4	4	0	1	0	0	0	0	-5	-2	-4
9	500	4	4	1	0	0	0	0	-5	-5	-2	-2
8	397	3	4	0	0	0	0	0	-3	-4	-2	-5
8	458	1	3	0	0	0	0	0	-3	-4	-2	-4
7	399	3	3	0	1	0	0	0	0	-4	-3	-5
7	420	3	2	0	0	0	0	0	0	-5	-1	-1
7	451	4	3	0	0	0	0	0	0	-4	-2	-5
6	473	3	2	0	0	0	0	0	-3	-5	-1	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name**            **STILLAGUAMISH**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
18	532	3	4	0	3	1	0	0	-3	-3	-3	0
18	557	3	4	0	3	1	0	0	-5	-2	-3	-1
17	529	2	4	0	3	1	0	0	-4	-2	-4	0
17	555	1	4	0	4	1	0	0	-2	-1	-5	0
16	514	2	4	0	3	1	0	0	0	-2	-5	0
16	553	2	4	0	3	1	0	0	-2	-2	-5	0
15	377	5	4	0	2	0	0	1	0	-3	-3	-4
15	512	4	4	0	1	1	0	0	-5	-4	-3	0
15	523	1	4	0	3	1	0	0	-1	-2	-5	0
15	536	1	4	0	3	1	0	0	0	-2	-5	0
13	352	3	4	0	1	0	0	1	0	-3	-2	-4
13	359	1	4	0	2	0	0	1	0	-3	-3	-2
12	336	0	4	0	2	0	0	1	0	-3	-3	-2
10	369	2	4	0	1	0	0	1	0	-4	-2	-5

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name           UPPER SKAGIT**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
22	448	3	4	0	5	0	0	0	0	0	-4	0
20	262	3	4	4	4	0	0	0	0	-1	-4	-4
20	288	3	4	1	3	0	0	0	-2	-1	-4	0
20	425	2	4	0	5	0	0	0	0	0	-5	0
20	465	2	4	0	5	0	0	0	0	0	-5	0
20	471	2	3	0	5	0	0	0	-3	0	-4	0
19	282	4	4	5	2	0	0	0	0	-3	-3	-4
19	308	4	4	0	5	0	0	0	0	0	-5	-3
19	385	2	4	0	5	0	0	0	0	-1	-5	0
19	417	2	4	0	4	0	0	0	-2	-1	-4	0
19	446	2	3	0	5	0	0	0	0	0	-5	0
19	447	1	4	0	5	0	0	0	0	0	-5	0
19	478	1	4	0	5	0	0	0	0	0	-5	0
19	484	1	4	0	5	0	0	0	0	0	-5	0
18	136	1	3	0	5	0	0	0	0	0	-5	0
18	139	2	4	0	4	0	0	0	0	-1	-5	0
18	292	2	4	0	3	0	0	0	-4	-1	-4	0

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            UPPER SKAGIT**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
18	379	2	4	0	4	0	0	0	0	-1	-5	0
18	381	3	4	0	3	0	0	0	0	-2	-4	0
18	432	2	4	0	4	0	0	0	-1	-1	-5	0
18	434	2	4	0	4	0	0	0	-1	-1	-5	0
18	463	1	4	0	4	0	0	0	0	-1	-4	0
18	482	3	4	0	3	0	0	0	0	-2	-4	0
18	495	0	3	0	5	0	0	0	-5	0	-4	0
18	506	2	4	0	4	0	0	0	-2	-1	-5	0
17	181	4	4	0	3	0	0	0	0	-1	-5	-2
17	186	1	4	0	4	0	0	0	0	-1	-5	0
17	277	4	4	1	1	0	0	0	-1	-3	-2	-2
17	278	5	4	3	2	0	0	0	0	-4	-3	-3
17	375	2	4	0	3	0	0	0	-2	-2	-4	0
17	390	1	4	0	4	0	0	0	0	-1	-5	0
17	408	2	4	0	3	0	0	0	0	-2	-4	0
17	415	2	4	0	3	0	0	0	-1	-2	-4	0
17	423	2	4	0	3	0	0	0	0	-2	-4	0



***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name           UPPER SKAGIT**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
17	441	2	4	0	4	0	0	0	0	-1	-5	-1
17	452	2	4	0	3	0	0	0	-2	-2	-4	0
17	467	2	4	0	3	0	0	0	-2	-2	-4	0
16	229	4	4	2	1	0	0	0	0	-5	-3	-1
16	244	3	4	0	4	0	0	0	0	-1	-4	-4
16	304	4	4	3	1	0	0	0	-5	-3	-3	-4
16	366	4	4	1	2	0	0	0	-2	-4	-3	-1
16	367	4	4	2	2	0	0	0	0	-4	-2	-2
16	395	3	4	2	2	0	0	0	-2	-3	-4	0
16	426	2	4	0	3	0	0	0	-5	-2	-5	0
16	449	2	4	0	3	0	0	0	0	-2	-4	-1
16	483	2	4	0	3	0	0	0	0	-3	-4	0
15	224	1	4	0	5	0	0	0	0	0	-5	-4
15	230	1	4	0	5	0	0	0	0	0	-5	-4
15	238	3	4	1	3	0	0	0	-4	-2	-4	-4
15	263	1	4	1	3	0	0	0	-4	-1	-3	-4
15	274	3	4	0	3	0	0	0	0	-2	-4	-3

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            UPPER SKAGIT**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
15	307	2	4	2	1	0	0	0	0	-3	-3	-2
15	313	4	4	2	1	0	0	0	0	-3	-3	-4
15	437	3	4	0	1	0	0	0	0	-4	-2	-1
15	450	2	4	0	3	0	0	0	-3	-3	-4	-1
14	187	2	4	0	4	0	0	0	0	-2	-5	-3
14	191	2	4	1	3	0	0	0	0	-2	-4	-4
14	227	2	4	0	4	0	0	0	-1	-1	-5	-4
14	254	1	3	0	4	0	0	0	-2	-1	-5	-2
14	266	4	4	0	3	0	0	0	-5	-3	-4	-4
14	273	4	3	2	1	0	0	0	0	-5	-3	-2
14	281	4	4	0	3	0	0	0	0	-3	-4	-4
14	284	2	4	0	2	0	0	0	0	-3	-4	-1
14	301	2	4	0	3	0	0	0	0	-2	-5	-2
14	325	1	4	0	4	0	0	0	0	-1	-4	-4
14	339	4	4	0	1	0	0	0	0	-5	-2	-2
14	470	1	4	0	3	0	0	0	0	-3	-5	0
13	260	2	4	0	3	0	0	0	0	-2	-4	-4

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name           UPPER SKAGIT**

**Accessibility = 0** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
13	316	1	4	1	3	0	0	0	0	-2	-4	-4
13	321	3	4	0	1	0	0	0	-2	-4	-3	-2
13	365	2	4	0	1	0	0	0	-1	-4	-3	-1
13	406	1	4	0	2	0	0	0	0	-4	-3	-1
13	407	3	4	0	1	0	0	0	0	-4	-3	-2
12	356	4	4	0	0	0	0	0	0	-5	-3	-2
11	298	1	4	0	1	0	0	0	0	-4	-3	-2
11	340	2	4	0	2	0	0	0	0	-3	-4	-4
11	353	1	4	0	2	0	0	0	0	-4	-4	-2
11	422	2	4	0	0	0	0	0	0	-4	-3	-2
10	268	4	3	1	0	0	0	0	-5	-5	-3	-2
9	259	2	4	0	2	0	0	0	0	-4	-4	-4
9	318	0	4	0	0	0	0	0	0	-4	-3	-2
7	413	2	3	1	1	0	0	0	0	-5	-2	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas (WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name           UPPER SKAGIT**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			<i>Hatcheries</i>
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	
22	103	4	4	0	5	0	1	1	0	0	-5	0
22	236	5	3	0	5	0	1	1	0	0	-5	0
21	126	3	4	0	5	1	1	0	-1	0	-5	0
21	128	2	4	0	5	0	1	1	-3	0	-4	0
21	225	3	4	0	5	0	1	1	0	0	-5	0
20	12	3	3	0	5	0	1	1	0	0	-5	0
20	46	1	4	0	5	0	1	1	-3	0	-4	0
20	71	1	4	0	5	0	1	1	0	0	-4	0
20	85	2	4	0	5	0	1	1	0	0	-5	0
20	106	1	4	0	5	0	1	1	0	0	-4	0
20	114	1	4	0	5	0	1	1	-2	0	-4	0
20	147	2	4	0	5	0	1	1	0	0	-5	0
20	199	2	4	0	5	0	1	1	0	0	-5	0
20	350	2	4	0	5	0	0	1	0	0	-5	0
20	362	3	3	0	5	0	0	1	0	0	-5	0
20	460	1	4	0	5	0	0	1	0	0	-4	0
20	502	2	3	0	5	0	0	1	-5	0	-4	0

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            UPPER SKAGIT**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
20	570	3	4	0	4	0	0	1	0	-1	-4	0
19	4	1	4	0	5	0	0	1	0	0	-5	0
19	5	1	4	0	5	0	1	1	-1	0	-5	0
19	6	3	4	0	4	0	1	1	-1	-1	-4	0
19	9	1	4	0	5	0	1	1	0	0	-4	0
19	17	1	4	0	5	0	1	1	-5	0	-5	0
19	61	1	4	0	5	0	1	1	0	0	-5	0
19	63	1	4	0	5	0	1	1	0	0	-5	0
19	83	1	4	0	5	0	1	1	0	0	-5	0
19	90	1	4	0	5	0	1	1	0	-1	-4	0
19	93	2	3	0	5	1	1	0	-5	0	-5	0
19	130	4	4	3	3	1	1	0	-3	-2	-4	-1
19	149	2	4	0	5	1	1	0	0	0	-5	-1
19	157	1	4	0	5	0	1	1	-3	0	-5	0
19	180	1	4	0	5	0	1	1	0	0	-5	0
19	212	2	4	0	4	0	1	1	0	-1	-4	0
19	237	2	4	0	4	0	1	1	0	-1	-4	0

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas (WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            UPPER SKAGIT**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			<i>Hatcheries</i>
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	
19	344	2	3	0	5	0	0	1	-1	0	-5	0
19	371	1	4	0	5	0	0	1	0	0	-5	0
19	386	2	3	0	5	0	0	1	0	0	-5	0
19	517	1	3	0	5	0	0	1	0	0	-4	0
18	7	5	2	0	1	0	1	1	-3	-1	-2	0
18	52	0	4	0	5	0	1	1	0	0	-5	0
18	55	2	4	0	5	0	1	1	-2	0	-5	0
18	65	1	3	0	5	0	1	1	0	0	-5	0
18	68	0	4	0	5	0	1	1	-5	0	-5	0
18	75	1	4	0	5	0	1	1	0	0	-5	0
18	95	1	4	0	5	0	1	1	-2	0	-5	0
18	97	1	3	0	5	0	1	1	-4	0	-5	0
18	105	1	4	0	5	0	1	1	0	0	-5	0
18	111	1	3	0	5	1	1	0	0	0	-5	0
18	112	1	3	0	5	0	1	1	-5	0	-5	0
18	120	1	3	0	5	0	0	1	0	0	-5	0
18	123	1	3	0	5	0	1	1	0	0	-5	0

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            UPPER SKAGIT**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
18	127	2	4	0	5	0	1	1	0	-1	-5	0
18	132	2	4	0	4	0	1	1	0	-2	-4	0
18	156	1	4	0	5	0	0	1	0	-1	-5	0
18	163	3	3	0	5	0	0	1	-5	-1	-5	-1
18	185	1	3	0	5	0	0	1	0	0	-5	0
18	189	1	4	0	4	0	1	1	-2	-1	-4	0
18	198	0	4	0	5	0	1	1	0	0	-5	0
18	210	1	4	0	5	0	0	1	-2	-1	-5	0
18	217	1	3	0	5	0	1	1	0	0	-5	0
18	317	1	3	0	5	0	0	1	0	0	-5	0
18	334	1	3	0	5	0	0	1	0	0	-5	0
18	358	3	4	0	4	0	0	1	0	-1	-5	-1
18	505	2	4	0	4	0	0	1	0	-1	-5	0
18	515	0	3	0	5	0	0	1	0	0	-4	0
18	516	2	4	0	4	0	0	1	0	-1	-5	0
18	535	2	4	0	4	0	0	1	0	-1	-5	0
18	562	2	4	0	4	0	0	1	0	-1	-5	0

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name           UPPER SKAGIT**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			<i>Hatcheries</i>
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	
18	563	2	4	0	4	0	0	1	0	-1	-5	0
17	82	1	4	0	5	0	1	1	0	0	-5	0
17	110	2	4	0	4	0	1	1	0	-1	-5	-1
17	129	2	4	0	4	0	1	1	-2	0	-4	0
17	141	1	4	0	4	0	1	1	0	-1	-5	0
17	166	2	4	0	5	1	1	0	-3	0	-5	-2
17	170	1	4	0	4	0	1	1	0	-1	-5	0
17	275	2	3	0	4	0	0	1	0	-1	-5	0
17	302	1	4	0	4	0	0	1	0	-1	-5	0
17	312	1	4	0	4	0	0	1	0	-1	-5	0
17	424	0	3	0	5	0	0	1	0	0	-5	0
17	551	1	4	0	4	0	0	1	0	-1	-5	0
16	2	0	3	0	4	0	0	1	0	0	-5	0
16	8	1	4	0	4	0	1	1	-1	0	-4	0
16	45	1	4	0	4	0	1	1	0	0	-5	0
16	92	1	4	0	5	0	1	1	0	0	-4	0
16	104	1	4	0	4	0	1	1	-1	-1	-5	-1



***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name            UPPER SKAGIT**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
16	143	2	4	2	3	1	1	0	0	-2	-3	-2
16	155	2	4	0	5	1	1	0	-4	0	-5	-2
16	429	0	2	0	5	0	0	1	-4	0	-5	0
15	47	1	4	0	4	0	1	1	-5	0	-5	0
15	119	1	3	0	4	0	1	1	0	-1	-4	-2
15	134	1	4	0	4	0	1	1	-1	-1	-5	0
15	153	5	4	0	3	0	1	1	0	-1	-5	0
15	164	4	4	0	4	0	1	0	-3	-1	-5	0
15	200	1	4	0	5	0	0	1	0	0	-5	-4
15	208	1	4	0	4	0	1	1	0	-1	-4	-3
15	215	1	4	0	4	0	0	1	0	-1	-5	-2
15	337	2	4	0	4	0	0	1	0	-1	-5	-3
15	442	2	4	0	2	0	0	1	-3	-4	-3	0
15	537	1	4	0	3	0	0	1	-2	-2	-5	0
14	98	1	4	0	4	0	1	1	-2	0	-5	0
14	158	5	2	0	1	1	1	0	-1	-1	-1	-2
14	160	1	4	0	4	0	1	1	0	-1	-5	0

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name           UPPER SKAGIT**

**Accessibility = 1** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

<i>Priority</i>	<i>Subwatershed Number</i>	<i>Plus Factors</i>				<i>-----Access-----</i>			<i>Minus Factors</i>			
		<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
14	172	3	4	0	4	0	1	1	-3	-1	-5	0
14	329	2	4	0	4	0	0	1	0	-1	-5	-4
13	113	1	4	0	4	0	1	1	0	0	-5	0
13	167	1	4	0	4	1	1	0	-3	-1	-4	-2
13	214	5	2	0	0	0	1	0	-1	0	-2	-2
13	326	1	4	0	3	0	0	1	-2	-3	-5	-1
13	431	0	4	0	2	0	0	1	0	-3	-4	0
12	33	1	4	0	4	0	1	1	0	-1	-5	0
12	348	1	4	0	3	0	0	1	-5	-3	-4	-3
11	148	2	4	0	3	1	1	0	-3	-3	-3	-2
11	150	1	4	0	3	1	1	0	-2	-2	-4	-2
11	235	1	4	0	3	0	0	1	0	-2	-4	-5
11	333	1	4	0	1	0	0	1	0	-4	-4	-1
10	131	1	3	0	3	1	1	0	0	-2	-4	-2
10	188	1	4	0	3	1	1	0	-4	-3	-4	-2
10	207	3	4	0	1	1	1	0	-4	-3	-3	-2
8	146	1	4	0	2	1	1	0	-4	-4	-3	-2

***Subwatershed Landscape Values - sorted by Water Resource Inventory Areas  
(WRIAs), Accessibility to Fish and Conservation Priority***

**WRIA Name          UPPER SKAGIT**

***Accessibility = 1*** (0 = Accessible to anadromous salmonids and not an artificial population, 1 = Inaccessible to anadromous salmonids or an artificial population)

	<i>Plus Factors</i>					<i>-----Access-----</i>			<i>Minus Factors</i>			
<i>Priority</i>	<i>Subwatershed Number</i>	<i>Total Wetlands</i>	<i>Land Cover</i>	<i>Bald Eagles</i>	<i>Undisturbed Habitat</i>	<i>Artificial Populations</i>	<i>Reservoir</i>	<i>Historically Inaccessible</i>	<i>Artificial Wetlands</i>	<i>Road Density</i>	<i>Slope</i>	<i>Hatcheries</i>
8	239	1	4	0	2	0	1	1	0	-4	-3	-2


---

## APPENDIX E: FISH DISTRIBUTION DATA






---

Data from the Washington Department of Fish and Wildlife STREAMNET database was used to map salmonid fish distribution. We queried the dynamically segmented STREAMNET database to determine the extent of each fish species. For each major hydrologic unit (WRIA), the appropriate data table (Salmonid status (SASI)) was added as an event table and linked to the streams layer in ArcView. This theme was then queried and a new GIS layer was created for each salmonid species.

# Distribution of Bull Trout in Puget Sound Basin



50 0 50 100 Miles


-  Streams with Bull Trout
-  Streams
-  Cities
-  Ocean
-  Subwatersheds









Fish distribution data from  
Washington Dept. of Fish and Wildlife  
and Pacific Biodiversity Institute.

Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Chum Salmon in Puget Sound Basin




-  Streams with Chum Salmon
-  Streams
-  Cities
-  Ocean
-  Subwatersheds with Chum Salmon
-  Puget Sound Assessment Area

Fish distribution data from  
Washington Dept. of Fish and Wildlife  
and Pacific Biodiversity Institute.









Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Coastal Cutthroat Trout in Puget Sound Basin



50 0 50 100 Miles


-  Streams with Coastal Cutthroat Trout
-  Streams
-  Cities
-  Subwatersheds containing Coastal Cutthroat Trout
-  Ocean
-  Subwatersheds

Fish distribution data from  
Washington Dept. of Fish and Wildlife  
and Pacific Biodiversity Institute.









Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Coho Salmon in Puget Sound Basin



50 0 50 100 Miles

-  Streams with Coho Salmon
-  Streams
-  Cities
-  Subwatersheds containing Coho Salmon
-  Ocean
-  Puget Sound Assessment Area


Fish distribution data from  
Washington Dept. of Fish and Wildlife  
and Pacific Biodiversity Institute.









Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute



# Distribution of Chinook in Puget Sound Basin (fall run)



50 0 50 100 Miles


-  Streams with Chinook Salmon
-  Streams
-  Cities
-  Subwatersheds containing Chinook Salmon
-  Ocean
-  Subwatersheds







Fish distribution data from  
Washington Dept. of Fish and Wildlife  
and Pacific Biodiversity Institute.



Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Pink Salmon in Puget Sound Basin




-  Stream with Pink Salmon
-  Streams
-  Cities
-  Subwatersheds containing Pink Salmon
-  Ocean
-  Subwatersheds









Fish distribution data from  
Washington Dept. of Fish and Wildlife  
and Pacific Biodiversity Institute.

Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Searun Cutthroat Trout in Puget Sound Basin



50 0 50 100 Miles


-  Streams with Searun Cutthroat Trout
-  Streams
-  Cities
-  Subwatersheds containing Searun Cutthroat Trout
-  Ocean
-  Subwatersheds

Fish distribution data from  
Washington Dept. of Fish and Wildlife  
and Pacific Biodiversity Institute.









Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Sockeye Salmon in Puget Sound Basin



50 0 50 100 Miles


-  Streams with Sockeye Salmon
-  Streams
-  Cities
-  Ocean
-  Subwatersheds with Sockeye Salmon
-  Puget Sound Assessment Area







Fish distribution data from  
Washington Dept. of Fish and Wildlife  
and Pacific Biodiversity Institute.



Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Chinook Salmon in Puget Sound (spring run)




-  Streams with Chinook Salmon
-  Streams
-  Cities
-  Ocean
-  Subwatersheds containing Chinook Salmon
-  Puget Sound Assessment Area









Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

Fish distribution data from  
Washington Dept. of Fish and Wildlife  
and Pacific Biodiversity Institute.

# Distribution of Chinook Salmon in Puget Sound Basin (summer run)



50 0 50 100 Miles


-  Streams with Chinook Salmon
-  Streams
-  Cities
-  Ocean
-  Subwatersheds with Chinook Salmon
-  Puget Sound Assessment Area









Fish distribution data from  
Washington Dept. of Fish and Wildlife  
and Pacific Biodiversity Institute.

Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Steelhead Trout in Puget Sound Basin (summer run)



50 0 50 100 Miles


-  Streams with Steelhead Trout
-  Streams
-  Cities
-  Ocean
-  Subwatersheds with Steelhead Trout
-  Puget Sound Assessment Area









Fish distribution data from  
Washington Dept. of Fish and Wildlife  
and Pacific Biodiversity Institute.

Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Steelhead Trout in Puget Sound Basin (winter run)



50 0 50 100 Miles

-  Streams with Steelhead Trout
-  Streams
-  Cities
-  Subwatersheds containing Steelhead Trout
-  Ocean
-  Puget Sound Assessment Areas



Fish distribution data from  
Washington Dept. of Fish and Wildlife  
and Pacific Biodiversity Institute.

Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute









---

**APPENDIX F: WATER POLLUTION FACTORS THAT MAY INFLUENCE SALMONID  
HABITAT IN THE PUGET SOUND BASIN**

---

# Distribution of areas containing Ammonia pollution in the Puget Sound Basin




-  Areas containing ammonia pollution
-  Cities
-  Streams
-  Subwatersheds with ammonia pollution
-  Puget Sound Assessment Area








Data Provided by:  
Washington State Department of Ecology  
and Pacific Biodiversity Institute

Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Fecal Coliform and Other Pathogen Indicators in the Puget Sound Basin




50 0 50 100 Miles

-  Fecal Coliform and other Pathogen Indicators
-  Cities
-  Streams
-  Subwatersheds with Fecal Coliform and Other Pathogen Indicator Pollution
-  Puget Sound Assessment Area

Data Provided by:  
Washington State Department of Ecology  
and Pacific Biodiversity Institute

Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Streams affected by Alterations of Flow in the Puget Sound Basin



50 0 50 100 Miles


- Areas affected by Flow Alterations
- Cities
- Streams
- Subwatersheds with Streams affected by alterations of flow
- Puget Sound Assessment Area








Data Provided by:  
Washington State Department of Ecology  
and Pacific Biodiversity Institute

Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of areas containing Metals in the Puget Sound Basin




-  Areas containing pollution from metals
-  Cities
-  Streams
-  Subwatersheds of areas containing metals
-  Puget Sound Assessment Area








Data Provided by:  
Washington State Department of Ecology  
and Pacific Biodiversity Institute

Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of areas containing Nonpriority Organics in the Puget Sound Basin



50 0 50 100 Miles


-  Areas containing nonpriority organics
-  Cities
-  Streams
-  Subwatersheds of areas containing nonpriority organics
-  Puget Sound Assessment Area

Data Provided by:  
Washington State Department of Ecology  
and Pacific Biodiversity Institute



Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Areas containing Nutrient Pollution in the Puget Sound Basin



50 0 50 100 Miles


- Areas containing nutrient pollution
- Cities
- △ Streams
- Subwatersheds of areas with nutrient pollution
- Puget Sound Assessment Area

Data Provided by:  
Washington State Department of Ecology  
and Pacific Biodiversity Institute








Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Streams with Dissolved Oxygen/Organic enrichment in the Puget Sound Basin



50 0 50 100 Miles

-  Dissolved Oxygen/Organic enrichment Areas
-  Cities
-  Streams
-  Subwatersheds with Dissolved Oxygen/Organic enrichment
-  Puget Sound Assessment Area




Data Provided by:  
Washington State Department of Ecology  
and Pacific Biodiversity Institute






Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute



# Distribution of areas with Pesticide pollution in Puget Sound Basin



50 0 50 100 Miles


-  Areas containing Pesticides
-  Cities
-  Streams
-  Subwatersheds of areas containing Pesticides
-  Puget Sound Assessment Area

Data Provided by:  
Washington State Department of Ecology  
and Pacific Biodiversity Institute



Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Areas affected by pH in the Puget Sound Basin




- Areas affected by pH
- Cities
- △ Streams
- Subwatersheds with streams affected by pH
- Puget Sound Assessment Area



Data Provided by:  
Washington State Department of Ecology  
and Pacific Biodiversity Institute

Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of areas containing Priority Organics in the Puget Sound Basin




- Areas containing Priority Organics
- Cities
- △ Streams
- Subwatersheds of areas containing Priority Organics
- Puget Sound Assessment Area



Data Provided by:  
 Washington State Department of Ecology  
 and Pacific Biodiversity Institute

Map by:  
 John Banning and Peter Morrison  
 Pacific Biodiversity Institute

# Distribution of Siltation in the Puget Sound Basin




- Areas affected by Siltation
- Cities
- Streams
- Subwatersheds containing areas affected by Siltation
- Puget Sound Assessment Area




Data Provided by:  
Washington State Department of Ecology  
and Pacific Biodiversity Institute

Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of Streams with Temperature/Thermal Modifications in the Puget Sound Basin




- Temperature/Thermal Modifications Areas
- Cities
- Streams
- Subwatersheds with stream temperature/thermal modifications
- Puget Sound Assessment Area



Data Provided by:  
 Washington State Department of Ecology  
 and Pacific Biodiversity Institute


Map by:  
 John Banning and Peter Morrison  
 Pacific Biodiversity Institute

# Distribution of Streams Affected by Turbidity in the Puget Sound Basin



50 0 50 100 Miles


- Areas affected by Turbidity
- Cities
- Streams
- Subwatersheds containing streams affected by turbidity
- Puget Sound Assessment Area



Data Provided by:  
Washington State Department of Ecology  
and Pacific Biodiversity Institute

Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute

# Distribution of areas containing pollution of Unknown Toxicity in the Puget Sound Basin



50 0 50 100 Miles

- Areas of Unknown Toxicity
- Cities
- △ Streams
- Subwatersheds containing areas of Unknown Toxicity
- Puget Sound Assessment Area

Data Provided by:  
Washington State Department of Ecology  
and Pacific Biodiversity Institute



Map by:  
John Banning and Peter Morrison  
Pacific Biodiversity Institute